

TRADE MARK  
*Newmade*

• C A T A L O G U E N ° 4 •







WE CAN MAKE IT  
—*if you want a quality product*

- We are equipped to meet machine and sheet metal needs of any nature, and for any industry.
- Our modern machinery enables us to execute *any* order to your unique specifications and individual needs, regardless of size, shape or quantity, with greater facility and quicker service.
- Products made in stainless steel, monel, copper, brass, sheet steel and galvanized, a specialty.
- Precision machine work is also a feature of this better service.
- Our many years experience in supplying theatres, laboratories, exchanges and studio cutting rooms has resulted in the wide assortment of stock tables, cabinets, sheet metal equipment and accessories illustrated. If the styles displayed do not meet your peculiar requirements—send a sketch with details and dimensions, and we shall be glad to submit quotation without further obligation on your part.
- Neumade Products are made of the best materials obtainable, and produced by only skilled mechanics.
- We are originators and designers of the products we manufacture.



# Neumade

## 35mm PRICE LIST

DECEMBER 1st, 1950

Page	Item	Price	Page	Item	Price	Page	Item	Price
3	MW-1 .....	\$ 17.50	20	T-150 Table .....	\$100.00	29	DSL-1 Flange .....	15.00
4	Dynamic - Set .....	38.50	20	T-150A Stand .....	42.00	29	DSL-2 " .....	21.00
4	Geared End .....	17.50	20	T-152 Table .....	36.00	29	DSF-1 " .....	12.50
4	Brake End .....	21.00	21	FH-1 Horse .....	8.50	29	DSF-2 " .....	18.50
5	#1 Rewind Set .....	12.50	21	FH-2 " .....	10.00	29	DAF-1 " .....	16.50
5	Geared End .....	8.00	21	FH-3 " .....	12.50	29	DAF-2 " .....	25.00
5	Dummy End .....	4.50	21	FH-4 " .....	15.00	29	SH-6 " .....	7.50
5	#2 Rewind Set .....	15.00	21	TW-1 Winder .....	25.00	29	SH-8 " .....	9.00
5	Geared End .....	10.00	21	ER-1 Rack .....	15.00	29	SH-10 " .....	10.00
5	Dummy End .....	5.00	21	ER-2 " .....	18.00	29	DF-10 Stat. Flg. ....	16.50
5	#3 Rewind Set .....	15.00	22	M-80-S Synchro. ....	175.00	29	SLH-6 Flange .....	9.00
5	Geared End .....	10.00	22	M-80-D " .....	200.00	29	SLH-8 " .....	11.00
5	Dummy End .....	5.00	22	M-38-S Meas. Mach. ....	80.00	29	SLH-10 " .....	12.50
5	#4 Rewind Set .....	16.50	22	M-38-S " .....	100.00	29	DF-10 Sliding Flg. ....	18.50
5	Geared End .....	11.00	22	M-75-S Synchro. ....	150.00	29	AF-1 Flange .....	19.50
5	Dummy End .....	5.50	22	M-75-D " .....	180.00	29	AF-2 " .....	13.50
6	Giant - Set .....	28.50	23	DR-75-D Assembly .....	225.00	30	1 reel, 1000 Ft. Cases. ....	5.00
6	Geared End .....	12.50	23	TR-75-T " .....	295.00	30	2 reel, 1000 Ft. Cases. ....	6.50
6	Brake End .....	16.00	23	SR-80-Q " .....	350.00	30	3 reel, 1000 Ft. Cases. ....	7.50
6	SD-1 per set .....	47.50	23	M-37-S Meas. Mach. ....	75.00	30	4 reel, 1000 Ft. Cases. ....	8.00
6	#5-A per set .....	30.00	23	M-37-D " .....	95.00	30	SW-10 Wire Reel .....	2.00
7	Dynamic MD .....	32.50	26	Chairs .....		30	SP-2 Steel Reel .....	1.20
7	Pulley End .....	17.50		18", 20" & 22" .....	9.00	30	1000 Ft. Bands.....per C	4.50
7	Dummy End .....	15.00		24" & 26" .....	10.00	31	1 reel, 2000 Ft. Cases. ....	7.00
7	RP-3 Pulley .....	5.50		28" & 30" .....	11.00	31	2 reel, 2000 Ft. Cases. ....	8.00
7	RP-4 " .....	6.00		32", 34" & 36" .....	12.00	31	3 reel, 2000 Ft. Cases. ....	8.50
7	RP-5 " .....	9.00	26	Footrests .....	2.00	31	4 reel, 2000 Ft. Cases. ....	9.00
7	RP-1 " .....	4.50				31	SW-11 Wire Reel .....	3.75
7	Hand Tally .....	9.00				31	SW-15 " .....	4.20
8	T-102 Table .....	45.00				31	SW-17 " .....	4.20
8	T-105 " .....	57.50				31	SP-5 Steel Reel .....	1.75
8	T-110 " .....	75.00				31	2000 Ft. Bands.....per C	6.00
8	T-116 " .....	125.00				31	GC-19 Can .....	4.75
9	T-106 Table .....	75.00				32	S-1000 Cleaner .....	36.00
9	T-114 " .....	150.00				32	Ribbons .....	1.35
10	T-125 Table .....	45.00				32	FW-1 Waxer .....	40.00
10	T-127 " .....	55.00				32	BW-1 Wax .....	3.00
10	T-140 " .....	75.00				32	Tape .....	3.50
10	T-145 " .....	135.00				32	Razor Blades .....	3.90
11	T-156 Table .....	150.00				33	AS-2 App. Set.....	3.75
11	T-165 " .....	On Request				33	Parts, AS-2 .....	
12	Fumetite F-12 .....	395.00					1 .....	2.00
13	Firechief FC-1 .....	285.00					2 .....	.25
14	Vault Type C-75 .....	350.00					3 .....	1.40
15	Neutype, per Sec. ....	7.00					4 .....	.85
15	Sealtite, per Sec. ....	8.50					5 .....	.60
*	Firetite, per Sec. ....	11.50					6 .....	.20
*	T-30-A Table .....	67.50	27	SC-1 Scrap Can .....	6.00	33	Cement, Brushes .....	.60
*	TX Table .....	42.50	27	IC-1 Immer. Brll. ....	45.00	33	Cement, Pint .....	2.50
*	WAC-5 Cabinet .....	16.50	27	CB-1 Cut. Brll. ....	12.00	33	Cement, Qt. ....	4.00
17	WAC-1 Cabinet .....	45.00	27	CB-2 " .....	16.50	33	Cement, Gal. ....	14.50
17	WTC-1 " .....	27.50	27	CB-3 " .....	18.75	33	Movietone Ink .....	
18	3487 Cabinet .....	75.00	27	Linings .....	4.50		Small .....	1.20
19	R-2 Splicer .....	29.50	28	WE-1 Bloop .....	20.00		4 oz. ....	2.40
19	Splicer Parts as shown ..		28	WE-2 " .....	22.50		Pint .....	6.00
19	Model T .....	42.50	28	WE-3 " .....	20.00		Quart .....	11.00
			28	WE-4 " .....	22.50	34	Label Paste .....	Gal. 1.65
			28	WE-5 " .....	22.50	34	Caution Labels .....	Roll 3.90
			28	RCA-1 " .....	22.50	34	Leader .....	
			28	1/16" Cue .....	7.00		Transp. ....	M/Ft. 4.50
			28	1/4" Cue .....	7.50		White .....	" 15.00
			28	V-1 Notcher .....	10.50		Black .....	" 25.00
			28	Embosser .....	9.00		Frame .....	C/Ft. 7.50
			28	Gloves .....	doz. 4.50	34	FA-1 Ext. ....	19.50
			28	Universal Splicer .....	9.00	34	FA-2 Ext. ....	36.00
			28	Splicer Parts as shown ..		35	Parts Priced as shown ..	

### NOTE

We are in production on all items priced.  
On any not priced, kindly contact us as  
the need arises and we will be pleased to  
advise you as to availability and current  
prices.

*Neumade*

PRODUCTS CORP.

330 West 42nd St., New York 18, N. Y.

PAGE NUMBERS REFER TO REPRINT OF CATALOG 4  
DATED MARCH, 1949


ALL PRICES F. O. B. POINT OF SHIPMENT

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

\* NOT SHOWN IN CATALOG — SEE INSERT SHEET



# WHERE *Neumade* PRODUCTS ARE BUILT



**F**AST, efficient quantity production of the Neumade line is carried on in a spacious factory in Buffalo, N. Y. Complete shop with precision equipment and a modern sheet metal shop occupies two floors covering an area of approximately 18,000 square feet, with separate departments for experimental work and drafting.

In Buffalo raw materials are available at lowest prices consistent with the high quality required. And from this strategically located lake and railway transportation point shipments can be made to any part of the United States and Canada with exceptional speed. *Most Neumade orders are shipped the same day they are received.*

From the corporation's main offices in the heart of New York City's film marketing activities, unusual service is rendered the large and rapidly increasing Neumade clientele. There's *immediate* delivery for customers in the New York metropolitan area on most items in the line from New York stock-rooms assembled to provide this special service.

And in these New York quarters, too, there's a shop expertly staffed to execute such special jobbing or manufacturing commissions as may be necessary to save time and money.

Address ALL Communications


**Neumade Products Corp.**  
427 WEST FORTY-SECOND STREET  
NEW YORK CITY

OSCAR F. NEU  
President



# The "BEAUTY SPOT"

*A Powerful  
Baby Spotlight*



## COLOR WHEEL

Attached to any spot — slides into channel in front of lamp. It's on in a jiffy.


**CW-1 \$3.00**



## PIPE CLAMP

Sure-grip Pipe Clamps affix the Beauty Spot in any conceivable position.

**BC-1 \$1.75**




## EXTENSION STAND

This heavy-based Extension Standard used wherever there is need to follow objects or for permanent "spotting." Stand adjustable from 40" to 63" in height. Adjusts to any angle.

**BS-2 with Spot \$12.00**

**BS-3 without Spot 5.00**



## FLOOD and SPOT BULBS

**250 Watt \$1.75**

**400 Watt 3.00**

Concentrated Filament Type



## CEILING BRACKET

For mounting Beauty Spots high, permitting fine results from concealed lighting brackets.

**BC-2 \$1.00**

Neumade "Beauty Spots" have everything they need to make them serviceable in the broadest possible field—and nothing to make them unduly expensive and hard to operate.

**BS-1 \$7.00**

with 250 W. Bulb \$1.75 extra




# LIGHT . . COLOR . . MOTION *with*

## MOTOCOLOR WHEEL

For those innumerable situations in which most effective sales results are effected through the use of displays—in theatres, night clubs, dance halls, retail stores, etc.—the NEUMADE MOTOCOLOR WHEEL, with Neumade Baby Spotlight, combines the three most powerful elements of advertising to fill a long-felt need. Fool-proof and absolutely dependable in operation. Easy on electric current. Low-priced. Simple to install. Six colors to the frame—and a wide assortment from which to select.



**MW-1 \$12.00**



### MOTOCOLOR UNIT

Beauty Spot with Motocolor Wheel. Automatic 6-color change in one minute. Wheel operated by small AC 60-cycle 110-Volt motor.


**BS-4 \$17.00**



### COLOR HOOD

To give constant color transformation through gelatine screens. Hood snaps on easily with spring lugs. Gelatine sheets easily renewed. Extra gelatines 10c each.


**CH-1 \$1.25**



### SUNLITE FLOOD

Compact, sturdy, simple in construction. For marquee flooding. To light dangerous dark spots where costly accidents occur. For lighting auditoriums for cleaning purposes; fine for photographic studios. Parabolic reflector 9" in diameter, 7" deep, brushed aluminum finish inside; rubber cord and plug.


**SF-1 \$7.00**



### RUBBER CABLE

**5c per ft.**


Approved, heavily covered. Necessary where Sunlite Flood is used for auditorium cleaning, any desired length, minimum 30 ft., each length with male and female covered plug.



### PIPE CLAMP

To attach Sunlite Flood to any cylindrical support 3/4" to 2" in diameter.

**PC-1 \$1.50**




### SUNLITE UNIT

Stand has 12" circular cast iron base, adjustable 40" to 63" in height. Swivel collar, controlled by thumb screw allows Sunlite Flood to swing freely in complete circle. Tilting adjustment on lamp proper. With 30 ft. of cable.

**SFU \$14.50**



# "DYNAMIC" *Leads the Line of* NEUMADE REWINDERS



**Geared End  
with Brake  
\$14.00 each**

A precision rewinder for a new need is the DYNAMIC, and was primarily developed for use with the 2000 foot reels.

The superiority—and popularity—of Neumade Rewinders has been achieved through Neumade's manufacturing policy of meeting—or anticipating—the constantly changing demands of the industry it serves.

Across the years there have been successive models. Each model has been the best in the light of the industry's advancement and requirements. Interspersed have been special designs for highly specialized use.

The DYNAMIC is Neumade's latest achievement in the rewinder field and each one carries a five year guarantee.

**\$26.00 the SET**

## DYNAMIC CONSTRUCTION


- 1** Sturdy cast housing of stream-line design, with three-point-type base absolutely prevents rocking.
- 2** Counter-balanced crank, with full-grip wooden handle, the end of which is counter-sunk and enclosed—there can be no pinching or blistering the hand.
- 3** Entire drive-unit of heat-treated steel. Both master and pinion gears machine cut and precision fitted. Special two-piece shaft and pinion gear construction which eliminates play.
- 4** Norma-Hoffman precision, ground ball-bearings which require no oiling. Races grease-packed and sealed.
- 5** New type reel-locking jack, or finger, with ball-and-spring catch which holds reel on at highest possible speeds. They can't fly off.
- 6** Gear ratio, two and one-half to one, which handles a full 2000 foot reel with ease. Also furnished four to one ratio where needed.
- 7** Made in geared ends only.



**Geared End  
without Brake  
\$12.00 each**



# A REWINDER *Model to Suit Any Requirement*



## No. 1 BENCH TYPE

Simple, sturdy construction; perfectly cut gears; smooth running. With our own designed patent locking jack, which prevents reel from flying off. Made for 10" reels.

Dummy End—\$2.75

Geared End—\$4.75

**\$7.50 the SET**


## No. 3 EVERWEAR

Heavy construction throughout. Steel cut gears. Balanced crank handle. Half-inch reel shaft bearing insures long life. Patent locking jack. Dummy End equipped with special tension. Three point base insures rigidity. Accommodates reels up to 18" in diam.

Dummy End—\$3.50

Geared End—\$6.50

**\$10.00 the SET**



## No. 2 CLAMP TYPE

Built for general use, having light channel reinforcement with strong clamp arm. Takes up to 18" reels.

Dummy End—\$3.25

Geared End—\$6.75

**\$10.00 the SET**

## No. 4 EVERWEAR (Clamp Type)

Same general construction features as Everwear No. 3. Heavy channel reinforcement and sturdy clamp arm.

Dummy End—\$4.50


Geared End—\$7.50

**\$12.00 the SET**



# REWINDERS *for* SPECIAL USES

There's a Neumade Model Ideally Suited to Any Situation Common to the Motion Picture Industry



Geared end with brake  
\$10.00 each


## The GIANT

The same big sturdy appliance as the Dynamic, without ball-bearings. Built to stand the strain of the heavy 2000 foot reels. Entire drive unit, including shaft and gears, of heat-treated steel. Equipped with half inch bearing shaft offering minimum of wear. Three-point-type base. Gear ratio two and one-half to one for easy handling of 2000 foot reels. Also can be furnished with four to one ratio if needed. The Giant Rewinder carries the same five year guarantee as the Dynamic.

**\$18.00 the SET**  
**Geared Ends Only**




Geared end without brake  
\$8.00 each



## BABY No. 1

Highest grade materials and standard Neumade workmanship. Takes 1000 foot 35mm reels, or standard 16mm reels. Combination bench or clamp type. Packs flat—you can put the entire set in an overcoat pocket.


Dummy End \$2.50    Geared End \$4.00  
**\$6.50 the SET**



## SYNCHRO DUAL No. SD-1

Everwear general construction features. Tall enough to take 2000 foot reels. Shaft length for two reels (longer on special order). A friction clip, which rides the shaft between the reels, and a leather-faced friction hub, with locking knurl nut on the end of shaft to hold reels firmly in position. The friction devices insure even tension and pick-up. Invaluable in any condition where two reels are being handled at the same time.

**Geared Ends Only**  
**\$35.00 the SET**



## DUAL No. 5-A

Everwear construction. Equipped with elongated shaft, having two keys to permit the winding of either one or two reels.

**Geared Ends Only**  
**\$20.00 the SET**





# Theatre — NEEDS



## DYNAMIC MOTOR-DRIVE GEARED END & BRAKE DUMMY

Dynamic Rewinder equipped with aluminum pulley, anchored to  $\frac{1}{2}$ " master gear shaft. Can easily be attached to motor under or at side of the table. Dummy end equipped with special side tension brake.

**\$22.50 the SET**



## ROSS LENS HOLDER AND SPLIT ADAPTER

L-321 (Holder) \$2.00


L-322 (Adapter) 1.00



## HAND TALLY

Fits snugly in the palm of hand. Numbers easily tripped with thumb pressure. Reset knob at side. A necessity in checking house attendance.

**Price \$5.00**



## NEUMADE AUTO- MATIC REWINDER

With hermetically sealed motor tightly enclosed in steel plate base. Cast motor case; view panel of heavy clear wire glass; fittings chromed, and sturdy hinges are of our own design. Equipped with two switches,—the first prevents re-winder from operating unless door is tightly closed, second shuts off current when rewinding has been completed or film has broken. Takes reels up to 16". Motor  $\frac{1}{2}$  H. P., 1750 R.P.M. Standard equipment A. C. current—equipped with D. C. motor, \$5.00 extra.

**Price \$125.00**



## REWINDER PULLEYS

Cast aluminum, carefully machined. Steel bushings to fit all styles and sizes of Neumade Rewinders supplied with each pulley.

RP-3 (6") \$4.00

RP-4 (8") 5.50

RP-5 (10") 7.50

Four-inch pulleys with fixed shaft openings— $\frac{5}{16}$ " and  $\frac{3}{8}$ ". (Specify size when ordering.)

RP-1 2.50



## EB-1

5" x 10" glass	\$5.00
8" x 10" "	6.00
10" x 12" "	7.00

## EXIT BOXES

Sheet steel construction, of modern design. Sturdy full length slide channel permit easy removal of glass directional signs. One model for use where wall niches are provided; other types and design for fastening to surface of wall (embellished with chrome stripping). Ruby glass with etched white letters. Porcelain light socket included.



## EB-2

5" x 10"	\$8.00
8" x 10"	9.00
10" x 12"	10.00




# Projection Booth Tables



**T-100**

Rigid construction with 3" block front top extension. Designed for clamp or bolt-on type Rewinders. Set-in drawer with heavy steel shelf below. Will hold 9 reel cabinet. Size, 34" long, 16" wide, 38" high.

**\$25.00**



**T-104**

40" long, 18" wide, 38" high. Heavy gauge metal top. Angle legs and centre drawer. Rack holds 10 reel cabinet, any Neumade make.

**\$22.50**

Same table to take 12 reel Cabinet

**T-104-A—24.50**



**T-105**

All steel, rigid construction throughout. Reinforced top. Size, 60" long, 20" wide, 38" high, with drawer 10" x 14" x 3 1/2". Under rack takes 17 reel, all types of Neumade Cabinets.

**\$40.00**

Price does not include Cabinet



**T-116**

Heavy construction throughout. Reinforced steel top. Equipped with 3 large drawers with locks. Side compartment for scrap film, with clean-out slide at bottom. Size, 60" long, 26" wide, 36" high, reinforced top with 3" block front extension. Rack underneath accommodates 10 reel Neumade Cabinet.

**\$80.00**



**T-102**

This sturdy table is equipped with a heavy gauge, reinforced steel top, with 3" block front extension. Rack holds 12 reel cabinet. Size 45" long, 20" wide, 38" high with set-in, channel slide drawer.

**\$35.00**



**T-110**

This table is of heavy construction throughout, having 14 gauge reinforced block extension top. Equipped with 2 large set-in utility drawers. Angle steel legs with cast feet. Accommodates 16 Reel 15" Innovation, Sealtite or Neutype Cabinet. Table size 60" long, 24" wide, 38" high.

**\$60.00**

(Price does not include cabinet)



# Fitted STEEL WORK TABLES

Tool-trays, drawers, compartments—  
everything "handy" and labor-saving



**T-108**

Size 48" long, 20" wide and 39" high. Has one center utility drawer and one tool and accessory drawer, space between the top sill and the drawer, makes the tools, etc., easily seen and accessible. Corrugated portion prevents tools from rolling or sliding. Rack at base will hold twelve reel cabinet.

**\$45.00**



**T-109**

50" long, 20" wide, 39" high. Two utility drawers directly under top, with a series of four drawers at the side and two carbon compartments above. Takes ten section cabinet.

**\$60.00**



**T-106**

Heavy construction throughout. Table 48" long, 24" wide, 39" high. Table fitted with four various depth compartments for carbons or tools. Two utility drawers. Angle iron rack at base of table will accommodate twelve compartment film cabinet.

**\$48.00**



**T-107**

Same heavy construction as other tables shown on this page. Size 48" long, 20" wide, 39" high. Equipped with one large divided drawer, one half has corrugated bottom to prevent tools from sliding or rolling. Two utility drawers for other accessories. Will accommodate twelve reel 15" cabinet.

**\$48.00**

Without cabinet



**T-114**

For the booth in larger theatres, with every refinement to make the projectionist's work easier and faster. Drawers for tools, titles and seals. Four carbon compartments. A chute and conveniently designed magazine for scrap film. Size 63" long, 24" wide, 38" high. Bottom rack for ten reel cabinet.

**\$110.00**


All tables on this page equipped with 14 gauge reinforced top, having a 3" blocked extension front for clamp or bolt-on type rewinder. Legs are of heavy angle steel equipped with cast feet. All drawers are of the channel slide type and provide for easy opening and closing. All tables will accommodate 15" Innovation, Neutype, Neulox or Sealtite Cabinets. Standard finish baked-on olive gray enamel.

Tables shown on pages 8 and 9 may be obtained in blue Morocco and satin finish, to match projector and lamp house at \$2.00 per table list extra.

**If locks are required on drawers, add \$1.25 list for each lock.**



*Especially Designed  
for*  
**FILM CUTTING  
and INSPECTING**



**T-127**

**DOUBLE INSPECTION TABLE**

Sturdily built, with heavy gauge reinforced top. One set-in drawer each side, with double leg bracings underneath, and rack to hold reels or cans. Size, 28" wide, 38" long, 30" high. If porcelain top is wanted, add \$5.

**\$35.00**



**T-140**

**DOUBLE INSPECTION TABLE**

Of heavy steel construction. Reinforced top having one set-in drawer on each side of table, with scrap chute and receptacle drawer. Rack underneath accommodates reels or cans. Legs fitted with square cast feet. Size, 28" wide, 42" long, 30" high. If porcelain top is wanted, add \$6.

**\$52.00**




**T-125**

**SINGLE INSPECTION TABLE**

For use where space is limited. Strongly reinforced top and legs, with one set-in drawer, 10" x 14½" x 5" deep. All tables reinforced with gusset plates at connection joints. Legs equipped with square cast feet. If porcelain top is wanted, add \$5.

Size 20" wide, 42" long, 30" high.

**\$30.00**



**T-145**

**INSPECTION TABLE (Special)**

Unusually heavy construction, 10 gauge armor plate, steel top, reinforced with linoleum; brass bound edge top or white porcelain cover. Equipped with safety film chute for scrap film. Two leader boxes imbedded in side of table with leader-slot on top. One drawer on each side of table. Size, 36" wide, 48" long, 31" high.

Standard equipment in M.G.M. and Fox Film Exchanges. Shown with Neumade's new dynamic re-winders. These not included in price given.

**\$88.00**





**S-313**

**PROJECTIONIST'S DESK**

Top slanted to provide perfect writing surface, which lifts to disclose compartment for writing and marking materials. Four carbon compartments; four drawers, two fitted for titles and seals; two for tools and other accessories. Strong collapsible shelf on either side. Overall size, 15" deep, 20" wide, 47" high. Width increases to 45" with shelves up. Heavy steel rods lock shelves in horizontal position.

**\$48.00**

*for the*  
**SHIPPING  
ROOM**

**T-156  
SHIPPING OR POSTER  
TABLE**

Top 28" wide, 60" long, 30" high, with 3" extension block front. Two shelves, 8" wide, with 10" clearance. Four roomy utility drawers.

**\$85.00**




**S-314**

**SHIPPER'S DESK**

Slant top lifts to disclose compartment for necessary writing and marking materials. Drawer 16" x 14" x 4 1/4" deep. Over all size, 45" high, 18" wide, 14" deep.

**\$22.50**




**S-133**

**SHIPPER'S DESK**

Heavy gauge steel and reinforced throughout. Ample writing space with compartment under lift top. One drawer 3" deep. Three shelves. Bottom compartment 15" high, having self-closing door with snap lock catch. Over all size, 49" high, 24" wide, 26" deep.

**\$65.00**



**S-315 UTILITY DESK**

Having slant top with eight drawers, five 3 1/2" deep, one 4" deep, one 5" deep and one 7" deep. Each equipped with convenient handle and index card holder. Drawer compartments optional. Portable shelf on each side. Over all size, 46" high, 18" wide, 14" deep.

**\$75.00**



**T-165  
SHIPPING TABLE**

Of extra heavy construction, having 10 gauge plate steel top. Size, 8' long, 34" wide, 30" high. Reinforced underneath. Two set-in channel slide drawers, size, 24" long, 16" wide, 4" deep. Heavy gauge reinforced shelf at bottom.

**\$110.00**



Neumade

# FUME-TITE

## FILM VAULT



With Sprinkler Head

**F-12**

Takes 12—2000 ft. reels, in two tiers of six each. Approved, quick-fusing sprinkler head enclosed in heavy gauge wire mesh. Water feed line  $\frac{3}{4}$ ". Door can swing from either side; specify when ordering. Full dimensional drawing may be found on page 47.


**\$300.00**

### CONSTRUCTION FEATURES

- 1—Constructed throughout of 18 gauge steel, with all joints welded.
- 2—Precision-fitted, fume-tight, double-sealed door, sealing channels asbestos lined.
- 3—Equipped with never-failing plunger type door-pull with adjustable tension.
- 4—Three-point automatic door-locking device of our own design. Door closes and locks automatically.
- 5—Equipped with approved quick-fusing sprinkler head protected by heavy gauge non-rusting wire mesh enclosure.
- 6—Double-wall construction throughout — filled with  $1\frac{1}{2}$ " of poured approved plastic heat and fire-resisting compound.
- 7—Equipped with vent, 8 x 10" (More than required by underwriters law). Double protection against the accumulation of dangerous fumes or gases.
- 8—Slanting top—discourages the tendency to use any flat surface as a place on which to pile miscellaneous articles.
- 9—Utility drawer for tools, etc., is provided in sub-base.
- 10—Standard finish, baked-on (two coats) olive gray enamel. All hardware chrome plated.

There's honest, intelligent value in each and every item of Neumade fire-proof film storage equipment. FUME-TITE installations have withstood the severest possible tests. "The building burns before the film!"

There's real economy in the installation of the Neumade FUME-TITE FILM CABINET. Careful examination by fire and insurance authorities in any section of the United States will disclose that the FUME-TITE more than meets all legal requirements and it follows that theatres using this most modern booth storage equipment save in lower insurance rates than where inferior equipment is used. FUME-TITES are sold for installation in New York City on a guarantee that insurance reductions will be effected.



**FD-12**


When 2—6 reel units are used one on top of the other, each unit is separately vented to the outside air.

**\$300.00**

**F-6**

Takes 6—2000 ft. reels. Requires no sprinkler head.

**\$165.00**




Vent pipe for Neumade FUME-TITE FILM CABINETS is made in standard lengths and units to meet every installation requirement. Vent elbows—\$15.00 each. Straight vent—\$5.00 per foot. Horizontal rain-hood—\$8.00. Vertical triangle-shape rain-hood—\$10.00.



# FIRE CHIEF

## FILM CABINET




**FC-1**

Takes 12—2000 ft. reels in two tiers of six each. Approved, quick-fusing sprinkler head, enclosed in heavy gauge wire mesh. Water feed line  $\frac{3}{4}$ ". Full dimensional drawing on page 47.


**\$205.00**

Complete with one length of vent pipe



Neumade film storage equipment in the Music Hall, Radio City, New York, where every appointment was the result of the most searching scientific investigation. 14 Fume-Tite Cabinets were installed in Radio City.

The Fire-Chief and the Fire-Safe have been manufactured to meet the price requirements of those not at the moment disposed to install the Fume-Tite. Installations of this cabinet in New York City have been approved and insurance reductions allowed. There has been no stinting in care or quality of materials used in these less expensive cabinets. They are the best that can be bought for the money.



Neumade film storage equipment in a Federal Penitentiary—where things must be doubly safe, since the customers can't "walk—don't run"—to the nearest exit.

# FIRE SAFE

## CABINET

These cabinets have the same film capacity as the F-12. There are double walls of heavy-gauge steel plate—but air space instead of fire-proofing compound is depended upon for protection from heat and flame. Equipped with same approved, quick-fusing sprinkler head rig and the same precision-fitted door with infallible automatic three-point self-locking device and plunger-type adjustable self-closing door pull.


The fittings — including locks, hinges, door pulls etc. — are enamelled in the same finish as the cabinet itself. Baked-on olive gray enamel. The Fire-Chief and Fire-Safe are vented with a round steel plate pipe, standard 8" diameter. This vent is covered with inch-thick sheet asbestos.

**FS-1**

Takes 12-2000 ft. reels in two tiers of six each. Approved quick-fusing sprinkler head, enclosed in heavy gauge wire mesh. Water feed line  $\frac{3}{4}$ ". See page 47 for detailed drawings giving overall dimension of these cabinets.

**\$225.00**

Complete with two lengths vent pipe







## *Special* STORAGE EQUIPMENT for NITRATE FILM of EVERY VARIETY

Stock fire-proof, fume-tight steel vaults for larger quantities of motion picture film than are usually carried in the operation of a theatre.

Stock fire-proof, fume-tight steel vaults for the storage of flat nitrate negatives for straight photographic or X-Ray use. Custom-made fire-proof, fume-tight steel vaults to meet any requirement; prices submitted upon receipt of blue-prints, or sketches.

### SPECIAL X-RAY FILM CABINET

Especially engineered and designed for use in the laboratories of hospitals, public institutions and doctors' and dentists' offices where the constant accumulation of nitrate cellulose X-ray negatives develops a very definite fire and explosion hazard.

Interior fittings, including perforated steel shelves, adapted for standard size negatives but available according to any lay-out plan given.

Eighteen gauge sheet steel, reinforced throughout. Double hollow walls,  $1\frac{1}{2}$ " thick. Approved sprinkler head protected with heavy-gauge wire mesh. Eight-inch round vent pipe. Double-walled hollow self-closing door with three-point automatic locking device, lock and two keys. Size—70" high, 36" wide, 18" deep.

Also suggested as equipment in research and testing laboratories of industrial plants.


**Prices on Request**

### APPROVED FILM CABINET

75 Reel Capacity

For film exchange and general storage use. Eighteen gauge sheet steel, reinforced throughout. Double hollow walls  $1\frac{1}{2}$ " thick. Five angle racks to hold 10" reels in vertical position. Approved sprinkler head protected with heavy gauge wire mesh. Eight-inch round vent pipe. Self-closing double door with three hinges and 3-point automatic locking device; lock and two keys. Overall sizes shown on page 47 described in detail drawing.

**C-75 \$250.00**




### APPROVED FILM CABINET

25 Reel Capacity

For film exchange and general storage use. Eighteen gauge sheet steel, reinforced throughout. Double hollow walls  $1\frac{1}{2}$ " thick. Three angle racks to hold 10" reels in vertical position. Approved sprinkler head protected with heavy gauge wire mesh. Eight-inch round vent pipe. Self-closing double walled door with 3 point automatic locking device; lock and two keys. See Dimensional Drawing page 47.


**C-25 \$125.00**





# Popular UNIT STORAGE CABINETS

*"Innovation" ... "Neulox" ... "Neutype"  
... "Sealtite"—Found wherever motion  
pictures are shown!*



## INNOVATION CABINET


The unit idea in film cabinets. Each cabinet holds just one reel of film—and you can increase your storage capacity easily and inexpensively as the need presents itself. Four small bolts through outside flanges do the trick.

for 10" Reels, per Unit	\$4.00
for 11" Reels, per Unit	4.50
for 15" Reels, per Unit	4.50
for 18" Reels, per Unit	7.00

## NEULOX CABINET

Same general construction as the Neutype Cabinet, with the added feature of a specially designed spring snap lock on each individual section. A slight thumb pressure releases lock. Will accommodate reels up to 15" diameter. Made in fixed units 5, 6, 8, 10 and 12 reels.

5 Reel Unit	\$17.50	10 Reel Unit	\$35.00
6 Reel Unit	21.00	12 Reel Unit	42.00
8 Reel Unit	28.00		



## NEUTYPE CABINET

The Neutype is the least expensive in the line, and is attractive in appearance, as well as substantial in construction.

Made for 15" reels and in these sizes only:

5 Reel Unit	\$14.50	10 Reel Unit	\$29.00
6 Reel Unit	17.40	12 Reel Unit	34.80
8 Reel Unit	23.20		

## SEALTITE CABINET

Gravity put to work! Slip the reel in—let the door go; that's all. The door closes automatically and stays closed! Special door stop allows doors to drop to just the right level and permits easy inserting and removal of reels. Sheet steel reel guards are welded to the carriage and door, adding rigidity to both, and thus closes in half the reel, giving film more protection. The Sealtite Cabinet is available in fixed units of 5, 6, 8, 10 and 12 compartments for 2000 ft. reels. Price \$3.90 per section.

5 Reel Unit	\$19.50	10 Reel Unit	\$39.00
6 Reel Unit	23.40	12 Reel Unit	46.80
8 Reel Unit	31.20		


All Neumade sectional cabinets have safety air chambers separating each film compartment. Permanent reel carriages of heavy band steel riveted and electrically welded to the door. Neumade cabinets are constructed of heavier gauge steel and built like bank vaults. Each door is equipped with a full grip steel handle, solidly riveted into

place. Each compartment door has its own card holder, with replaceable cards for indexing purposes. Standard finish, baked-on olive-gray enamel. Cabinets can be finished in blue satin and Morocco enamel to match projector and lamp house, at slightly higher prices.



# THEATRE TICKET BOXES *in the Modern Manner*

Smartly Conservative in Design • • • Steel Enameled  
in two colors and banded with bright tarnish-  
proof chrome • • • flush-top self-closing  
ticket gate




**T B - 11**  
\$45.00




**T B - 12**  
\$45.00



**T B - 13**  
\$45.00



**T B - 14**  
\$45.00




**T B - 10**  
\$60.00

All modern type ticket boxes Nos. TB-10, TB-11, TB-12, TB-13, TB-14 furnished in two-tone standard colors of chinese red and black; green and black; blue and black; all black. Other tone shade combinations \$2.00 list — extra. When ordering, specify colors wanted. Approximate sizes—40" high, 20" long, 12" wide.



Each ticket box fitted with large ticket receptacle drawer, having lock and 2 keys. Chrome handle.



**T B - 3**


has inverted pyramid top, with double slot opening and guard. Size 36" high, 10" square. Finished in two-tone green or brown, or special finish at a slight additional cost.

**\$35.00**

**T B - 1**

Not illustrated. Size 36" high, 10" square. Same construction as TB-3 with the exception that it has flat top with ticket slot instead of inverted pyramid. Finished in duo-tone enamel combination of buff and brown, or light and dark green.

**\$30.00**






Specialty

# CABINETS and CUPBOARDS

for the

## PROJECTION BOOTH EXCHANGE LABORATORY or STUDIO



**WAC-1**

ACCESSORY CABINET

Wall or bench type of all-steel construction. Two reinforced self-closing doors with handle lock device. Six shelves with front edge turned up. For storage of booth accessories. Size, 56" high, 24" wide, 6½" deep.

**\$35.00**



**WTC-1**

TITLE AND SEAL CABINET

Wall or table type. All steel construction. Reinforced, self-closing door with snap lock catch. Equipped with four shelves and memorandum holder fastened to inside of door. Size, 22" high, 15" wide, 4" deep.

**\$22.00**



**S-551**

GELATINE CABINET

For storing gelatine sheets—keeps them moist and flexible. Twelve drawers, each 24" x 22" x 1" deep. Push hole at bottom of each drawer to lift sheets. Brass index card holder and two handles on each drawer. Overall height, 16".

**\$65.00**



**CARBON CABINET**

**S-309**

Three bins for carbons, 6" x 5" x 10", and one 6" x 12" x 20" with tool drawer at bottom, 6" x 12" x 18". An additional spacious compartment with hinge cover for miscellaneous tools, etc. Overall size, 12" x 18" x 24" long.

**\$35.00**




**S-320**

UTILITY CABINET

Designed for many needs in the office or workroom, for photographs, cuts, and other accessories. Ten drawers, each 10" wide by 15" long and 1" deep. Overall height 14".

**\$15.00**




**S-317**

CARBON CABINET

**\$18.00**

Overall size, 18" x 10" x 10". One drawer at bottom 4" deep. Two carbon compartments 4" x 10" x 10".




**S-318**

CARBON CABINET

(Wall Type) Overall size 6¾" wide, 20½" long, 24" high. Has two compartments 6½" wide, 20" long, 8" high. Other two have same height and width but are 10" long.

**\$20.00**



**S-319**

CARBON CABINET

**\$28.00**

(Floor Type) Overall size 7½" wide, 24" long, 39" high. Has four carbon compartments all 7" wide and 7" high. Lengths are 6¾", 10½", 13½", and 24". Tool compartment measures 7" wide, 17" long, 7" high.



# General Utility STEEL CABINETS



**No. 3684**

## COUNTER HEIGHT CABINET

36" wide, 18" deep, 42" high. 3 Adjustable shelves, 2 doors. 16 gauge counter top, over-hanging 1" front and rear. Linoleum top can be furnished at slight extra charge.

**\$47.00**

These cabinets finished in olive-green enamel; 3 point latching device with tumbler lock, and 2 keys. Handles chrome plated. Equipped with removable shelves.



**No. 3487**

## GENERAL STORAGE AND UTILITY CABINET


4 Shelves, double doors, large storage capacity, sturdy construction and trim appearance. Size 36" wide, 18" deep, 78" high.

**\$43.00**

**No. 3447**

Same as No. 3487, except cabinet is 24" deep.

**\$48.00**



**No. 2409**

A single-door wardrobe of convenient size. 24" wide, 18" deep, 78" high. Contains hat shelf, coat rod and rust proof clothes hooks.

**\$34.50**

This cabinet can be supplied without coat hooks and with four extra shelves, for use as a general storage cabinet.

**\$36.00**




**No. 5487**

## GLASS DOOR CABINETS

36" wide, 18" deep, 78" high. An ideal storage cabinet for books, instruments, trophies, collections of various sorts, laboratory supplies and chemicals. Four adjustable shelves, glass panelled double doors.

**\$75.00**



**No. 1804**

## DESK HEIGHT CABINET

18" wide, 20" deep, 30" high. Two adjustable shelves. Swinging door, hinged on right side. Linoleum top can be furnished at small extra charge.

**\$24.00**



# There Must Be a SPLICER Wherever Film Is Handled

— and the superiority of  
GRISWOLD SPLICERS  
has remained unchallenged  
for a quarter of a century

## MODEL R2

(Illustrated)

For use in theatres, exchanges, studios and laboratories. Three different overlaps— $5/32"$ ,  $1/10"$  and  $1/16"$ .  $5/32"$  is most generally used, and constitutes a full sprocket hole. Other sizes are preferred when film to be spliced is negative stock. Please specify overlap when ordering.

**\$22.50**

## GRISWOLD MODEL T

—is a specialty item prized by film handlers who choose to pay a slightly higher price for refinements which make film-splicing particularly easy. It has a small electric light bulb imbedded in the base at the point where light is most needed in splicing; power is supplied by a small dry cell obtainable anywhere.

**\$37.50**



The model of the machine you are using is plainly marked on the descriptive plate on the front of the base of your machine; please mention it in ordering parts . . . Parts marked (\*) also apply on Model T . . . Be sure to give width of lower Shear Blade—is it  $5/32"$  full hole,  $1/10"$  half hole or  $1/16"$  quarter hole?

NO.	NAME	PRICE
1	*Upper Left Jaw	\$2.25
2	*Cement Guard (Attaches to Upper Left Jaw)	.45
3	*Lower Pressure Spring (Attaches to Upper Right Jaw)	.45
4	*Upper Pressure Spring (Attaches to Upper Right Jaw)	.45
5	*Upper Right Jaw	2.25
6	*Lower Left Jaw	3.00
7	Base	6.00
8	*Lower Right Jaw	3.00
9	*Upper Left Shear Blade	.45
10	*Felt Moistener	.05
11	*Upper Right Shear Blade	.45
12	*Back Adapter (Used on $1/16"$ Lower Shear Blade)	.10
13	*Front Adapter (Used on $1/16"$ Lower Shear Blade)	.10
14	*Hinge Rod Set Screw	.05
15	*Emulsion Scraper Guide	.40
16	*Lower Shear Blade Adjusting Screw	.05
17	*Lower Shear Blade Set Screw	.05
18	*Pressure Spring Adjusting Screw	.05
19	*Washer for Emulsion Scraper Guide	.05
20	*Lower Nut for Latch Pin	.05
21	*Washer for Latch Pin	.05
22	*Upper Nut for Latch Pin	.05
23	*Hinge Rod Binder Collar	.20
24	*Screw for Emulsion Scraper Guide	.05
25	*Emulsion Scraper Blade $1/16"$ Splice $1/4$ hole	.12
26	*Upper Shear Blade or Latch Spring Screw	.05
27	*Emulsion Scraper Blade $1/10"$ Splice $1/2$ hole	.12
28	*Screw for Guard or Pressure Spring	.05
29	*Emulsion Scraper Blade $5/32"$ Splice full hole	.12
30	*Lower Shear Blade for $1/16"$ Splice $1/4$ hole	1.00
31	*Lower Shear Blade for $1/10"$ Splice $1/2$ hole	1.00
32	*Lower Shear Blade $5/32"$ Splice full hole	1.00
33	*Latch Pin	.15
34	*Outer Supplementary Latch Spring	.10
35	*Latch Spring	.15
36	*Inner Supplementary Latch Spring	.10
37	*Scraper Blade Screw	.05
38	*Scraper Holder	.75
39	*Thrust Spring	.12
40	*Hinge Rod	1.00

Neumade  
Distributes

ALL MODELS of  
GRISWOLD SPLICERS


Order  
REPLACEMENT PARTS  
by Number





# STUDIO *and* LABORATORY SPECIALTIES

Designed to meet the strict requirements of informed technicians who demand the best



**T-150**  
**TIMING TABLE**

Specially designed table for timing negatives, with white porcelain, acid-resisting top 42" long, 18" wide, 28" high. Translucent glass viewing panel 4" x 8". Movable reel standard projecting from the side of table; guide rollers keep film in alignment at an equal distance from the glass. Light switch conveniently placed at the side. Without rewriter and Flange.

**\$65.00**



**T-150A**  
**PORTABLE TIMING STAND**

Same type as shown opposite, and can be used on any table. Primarily used for small hand rolls of film. Timing card clip provided for holding such cards or notes.

**\$28.00**



**T-132**  
**PROJECTION TABLE**

For portable projectors, stereopticons or effect machines. Rigidly built with reel rack and shelf underneath, having tilting top which lifts by use of worm screw. Size, 18" wide, 34" long and 34" high, with a 6" tilt.


**\$35.00**



**T-152**  
**PORTABLE MOVIOLA STAND**

Rigidly built to withstand machine vibration. Legs fitted with two swivel and two stationary, ball-bearing rubber casters.

**\$22.00**




**T-151**  
**SPECIAL CUTTING AND VIEWING TABLE**

This double table has two light boxes with two translucent reflector glasses. A light switch on front apron. One drawer on each side of table and a reel rack on top. Table size, 28" wide, 42" long and 30" high, with an auxiliary shelf which can be raised to increase length of the table by 12".

**\$70.00**




# Film-Handling NECESSITIES



## FILM HORSE

For cutting or short subjects. Permits the handling of 12-300 ft. rolls simultaneously. Cross bars can be removed to accommodate larger footage rolls.

**FH-5 \$30.00**



## FILM HORSES

For the convenient handling of demounted film. Accommodate rolls up to 15" in diameter. Outside stanchions with bottom spring hinge and clasp. Bottom plates drilled for table bolts.


<b>FH-1 (Single 1000')</b>	<b>\$ 6.50</b>
<b>FH-2 (Double 1000')</b>	<b>8.00</b>
<b>FH-3 (Single 2000')</b>	<b>10.00</b>
<b>FH-4 (Double 2000')</b>	<b>12.00</b>



## EDITING RACKS

Made to fit fibre barrels. Rack rim fits barrel top, cross bars have projecting, blunt pointed pins to keep film strips in order. These bars and pins have a smooth, chrome-plated surface. When ordering give barrel dimensions.

<b>ER-1 (18" high)</b>	<b>\$13.00</b>
<b>ER-2 (36" " )</b>	<b>14.00</b>



## TITE-WINDER

Device for rewinding film evenly without reel or flange. Especially adaptable for use with negative or positive raw stock. Base, arm and roller aluminum cast. Supplied with brass hub to fit on reel shaft of rewriter and provided with key and slot to hold bakelite core.

**TW-1 \$18.00**  
Without rewriter



## No. 3 BB REWINDER


Everwear construction details with ball-bearing feature added. Shaft rides in unit hardened steel ball-bearing racers forced onto the shaft under such pressure that shaft and racers are practically one piece. Light running, silent, everlasting.

**Geared Ends Only \$8.50 Each**



# Synchronizing MEASURING MACHINES


The Most Varied and Complete  
Line Manufactured



## M-80 SYNCHROMETER

Counter measures footage, and separate clock dial indicates frames and sprocket holes. Equipped with 64-tooth, aluminum, precision machined sprocket hub, which measures one foot every complete revolution.


M-80-S (1 hub)	\$125.00
M-80-D (2 hubs)	135.00



## M-38 MACHINE

Five-digit counter measures both footage and frames. Single eight-frame sprocket hub in chrome with frame slots to make cutting easy.

M-38-S (1 hub)	\$ 45.00
M-38-D (2 hubs)	65.00
M-38-T (3 hubs)	85.00
M-38-Q (4 hubs)	105.00



## SYNCHRONIZER

Same construction as M-80 Synchrometer, with the exception that the hub has 32 teeth and measures 8 frames per revolution. Extra tension roller prevents jumping of film.

Single hub model	\$125.00
Double hub model	135.00


Cast base mechanism and gear housing on all type machines finished in black enamel. Guide and tension rollers, and other trim chrome plated. Each machine is supplied with an acid-resisting, light-reflecting, white porcelain base. Single and double machines carried in stock. Multiple sprocket models on special order at slightly higher prices.



## M-75 SYNCHROMETER

For faster and safer measuring operations. Same type sprockets as on M-80 model—centres so high from base that film runs almost level from rewinders, eliminating pull and friction.

M-75-S (1 hub)	\$110.00
M-75-D (2 hubs)	120.00



## MS-16 COMBINATION MACHINE


Device to measure reduction print negative and master positive with 35mm film. Equipped with one sprocket for 35mm film and two for 16mm. Checks both the 16mm width with the standard professional frame-for-frame, at the same time totalling the footage of the 35mm film.

MS-16	\$75.00
-------	---------



# Special Rigs for EXPERT CUTTING

Many Combinations of  
Measuring Machines and  
Rewinders Available  
on Special Order



## QUADRUPLE SYNCHRONIZING OUTFIT

For measuring from one to four films simultaneously. Equipped with M-80 Synchrometer machine, synchro rewinders and sub-base.

**SR-80-Q \$265.00**


The sub-bases supplied with outfits are of hard wood, with felt bottom and covered with special steel plate, white porcelain for acid-resisting and light-reflecting qualities. All multiple sprocket machines, triple and quadruple rewinders equipped with spring tension support bracket. Outfits can be supplied as illustrated or with any model Neumade machine desired.



## TRIPLE SYNCHRONIZING OUTFIT

Measures up to three films at one time. Equipped with M-75 Synchrometer, triple synchro rewinders and mounted on sub-base.


**TR-75-T \$225.00**




## DOUBLE SYNCHRONIZING OUTFIT

For measuring two films. Equipped with M-75-D Synchrometer and Synchro Dual Rewinders. Mounted on sub-base.

**DR-75-D \$160.00**



Precision counter measuring film in footage and frames. Last digit registers 0 to 15 for frames. Four and five-digit counters for measuring footage only, available. Counter supplied with or without spur gear.



## M-37 MACHINE

Has four-digit counter measuring footage only. Equipped with 8-frame sprocket, two revolutions measure one foot. Tension rollers on both sides of sprocket hub keep film firmly in place.

M-37-S	(1 hub)	\$35.00
M-37-D	(2 hub)	55.00
M-37-T	(3 hub)	75.00
M-37-Q	(4 hub)	95.00



# Neumade METAL EQUIPMENT




**SPECIAL CABLE REELS**

With carrying case and rewinding arrangement. Used for sound camera microphone lines. Made for Paramount Newsreel 1937.


**TYPEWRITER STAND**



**REEL RACK  
ROLLER TRUCK**




**36-DRAWER  
GELATINE  
CABINET**



**CABLE REEL**

With cut-out compartment for sound head connectors. Made for Berndt Maurer 1937.




**SMALL PARTS  
CABINET**  
With table base.



**PORTO-TRUCK**

Used for cleaning purposes in theatres, auditoriums, hotels, etc.


**STEEL  
SHIPPING ROOM TABLE**  
With paper and cord holders.




**LARGE  
LINOLEUM TOP  
TABLE**  
With paper holder and  
cord holders.



**LINOLEUM TOP  
METAL DESK**



**ADJUSTABLE PIGEON-HOLE RACK**  
With removable shelves for sorting, collating



**MODERN DESIGN  
PORTABLE BAR**



**SPECIAL COLLATI**



# SERVES EVERY INDUSTRY



DRAFTSMAN'S  
DESK

ALL STEEL DESK

DRAFTSMAN'S OR ARTIST'S  
TABLE

SPECIAL  
DRAWER TABLE  
With Extension Panel

TRYING CABINET  
Grain, etc.

AUTOMATIC  
ACCOUNTING SYSTEM  
SORTING DESK

MONITOR  
TELEPHONE  
STAND

With compartments for phone directories.

NOLEUM TOP MAILING DESK  
With sorting rack, rubber stamp hold-  
ers and brackets for mailing bags.

SPECIAL DRAWER  
TABLE  
With light box and  
overhead light.

MAILING TABLE


SPECIAL SAFE CABINET

OFFICE BOOK  
LEDGER TRUCK

VENTED  
PAINT CABINET



# Special STEEL EQUIPMENT



## S-300 TITLE AND SEAL CABINET

Ten channel slide drawers 18" long, 14" wide, 3" deep. Each fitted with removable compartments for 35mm film rolls. Each is equipped with brass, chrome plated handles and index card holder. Convenient slant top for writing. Over-all size 21 1/4" wide, 58" high in back, 52" high in front.

**\$90.00**



## CHAIRS

For Inspection Room, Booth or Ticket Office.

Seat Height			28"	Seat Height	
18"	\$6.00			28"	\$7.50
20"	6.25		30"	"	7.75
22"	6.50		32"	"	8.25
24"	6.75		34"	"	8.50
26"	7.00		36"	"	9.00

If foot rest is required, \$1.00 extra



FB-1—For 1000' Reels  
FB-2—For 2000' Reels

Film work boxes used in exchanges at the side of the inspector, in which reels are kept while being examined. Self-closing cover.


FB-1—\$11.00  
FB-2—\$14.00

## FILM ROOM TRUCKS

Of unusually heavy steel construction to withstand hard usage. Constructed with 2" heavy angle steel frame with 1/4" diamond plate top. Heavy reinforced push handle at one end. Equipped with heavy duty rubber tired, ball-bearing rollers. Two swivel and two stationary.

SRT-4  
14" x 26"  
**\$24.00**


SRT-5  
18" x 34"  
**\$28.50**



## S-301 TITLE AND SEAL CABINET (Wall Type)

Made of heavy galvanized steel. 1" thick board inside entirely covered with metal, in which are set approximately 140 hooks to hold small rolls of titles or seals. This cabinet has a self-closing, telescoping door which fits tightly over the hook compartment. The door is equipped with a convenient handle.

**\$24.00**




## S-302 RECORD CARD FILES

Primarily made for exchange use. These files are made with removable or permanent metal spacers. Can be made up for any size cards. Prices on request.

S-303




# Keep Clean — SAFE SCRAP CANS



## SCRAP FILM OR CARBON CANS

Heavy reinforced steel can with inner galvanized pail. Commonly used as a container for sand to absorb heat of freshly burned carbon butts. Step-on lever lifts cover. Two finishes, white or red baked-on enamel. Size 12" x 16".

CC-1 White	\$5.50
CC-2 Red	6.00



## REFUSE CAN

Heavy galvanized steel. Reinforced with steel band at bottom and center with conical cover. Size 40" x 24".


PC-1 \$20.00



## FIBRE CUTTING BARRELS

Made of heavy fibre; hard glaze finish. Heavy fibre and steel kicking band at bottom, with smooth steel band around top. Two cut-in handles.

CB-1	12" x 36"	\$ 7.50
CB-2	18" x 28"	11.00
CB-3	20" x 30"	12.00



## SELF-CLOSING SCRAP FILM CANS

Sturdily constructed of galvanized steel; corrugated. Half self-closing cover. Finished in brilliant red enamel.

No.	6	5	4	3	2
Size	20x28	15x24	14x22	14x20	12x18
Price	\$10.00	\$8.00	\$7.00	\$6.00	\$5.00

## LINING BAGS FOR CUTTING BARRELS

Made of non-scratchy materials. Full-fashioned, with generous over-length to fold over top.


LB-1	\$3.00
LB-2	3.50
LB-3	3.75



## IMMERSION SCRAP FILM BARRELS

Constructed of plate steel; welded seams; water tight. Has removable self-closing split cover. Heavy mesh, galvanized rust-proof wire, with two handles. Three swivel rubber tire casters. Size, 20" in diameter and 28" high. Finished in bright red baked-on enamel.

IC-1 \$24.50





## STEP-ON CANS

Small, light, convenient receptacle for scrapping film. Has inner galvanized pail. The step-on lever lifts cover. Size, 11" x 14". Finished in red or white enamel.

SC-1 \$3.75



# Miscellaneous ACCESSORIES




WE-3 WE-1 WE-2 RCA-1 1/8" 1/4"

## BLOOP PUNCHES AND CUE MARKERS


"B-L-O-O-P!" is the jarring noise, inevitable, when the sound track is not properly blacked out at the splice. Accuracy and uniformity are essential in the sure elimination of bloop. With the use of mechanically accurate punches, the laboratory can be assured of no discredit for bloop in projection. Variable area and variable intensity of sound track require different types of punches. Therefore, we carry in stock punches with the cutouts as illustrated, or can make up any special design you may desire. In ordering stock bloop punches, use numbers shown under illustration. For special punches, send drawing giving length dimension and type of sound track.

WE-1	\$14.00	1/16" Round Cue	\$5.00
WE-2	16.00	1/4" Round Cue	6.00
WE-3	14.00		
RCA-1	16.00		



UNIVERSAL  
SMALL INEXPENSIVE  
HAND SPLICER

\$6.50




## NOTCHERS AND EMBOSERS

No. 1—"V" Notcher to quickly correct the difficulties caused by broken sprockets in film being projected.

\$6.50

No. 3—Film Embosser—For marking either positive or negative film (up to three characters).

\$5.00



1	—	\$2.00
2	—	.50
3	—	.10
4	—	.10
5	—	.10
6	—	.50
7	—	.10
8	—	.60
9	—	.10
10	—	.75
11	—	.10
12	—	.65
13	—	.10
14	—	.10
15	—	.70
16	—	.30
17	—	.15
18	—	.25

Order Replacement  
Parts by Number



## WHITE COTTON GLOVES


Full fashioned, knitted fabric, good wearing quality. When ordering specify whether for men or women.

\$3.50 doz. pair



# Quality STRIPPING and MOUNTING FLANGES

A Style for Every Purpose, Each Embodying Refinements  
of Manufacture That Insure a Lifetime  
of Thoroughly Satisfying Use



**DISHED SURFACE**


Heavy Spring Brass—With "dished" rim for easier and safer film handling. Ten-inch diameter only.

**SLIDING HUB**

**DSL-1 (Single)**  
**DSL-2 (Double)**

**STATIONARY HUB**

**DSF-1 (Single)**  
**DSF-2 (Double)**




**2000 Ft. ALUMINUM FLANGES**

Constructed of heavy gauge Duraluminum. 14" in diameter. Stationary Hub is 1" diameter.

**DAF-1 (Single)**  
**DAF-2 (Double)**


Order by Number	
DSL-1	\$ 7.00
DSL-2	14.00
DSF-1	6.75
DSF-2	13.75
DAF-1	10.00
DAF-2	18.00
TF-5	2.75
TF-6	3.00
TD-6	.80
SH-6"	5.25
SH-8"	5.50
SH-10"	5.75
DF-10"	12.00
SLH-6"	5.50
SLH-8"	5.75
SLH-10"	6.00
DF-10"	12.00
AF-1	15.00
AF-2	8.50



**FLAT SURFACE**

Heavy Spring Brass  
Stationary Hub Type


**SH—6" Single**  
**SH—8" "**  
**SH—10" "**  
**DF—10" Double**



**TRAILER FLANGES**

Cast aluminum 5 5/8" and 6" in diameter. Stationary Hub. Sheet aluminum outside disc with 5/16" hole can be provided to make this a double type flange.

**TF-5**  
**TF-6**  
**TD-6**



**SLOTTED ALUMINUM FLANGES**

Light weight easy running. Male and female brass hub members held together through spring tension construction. Slotted hub and removable key permits the usage of all raw stock bakelite cores. Bakelite core supplied.

**AF-1 Double**  
**AF-2 Single**




**FLAT SURFACE**

Heavy Spring Brass  
Sliding Hub Type

**SLH—6" Single**  
**SLH—8" "**  
**SLH—10" "**  
**DF—10" Double**



# Sturdy METAL CONTAINERS



## VAULT CANS


Heavy galvanized containers with properly fitting telescope covers, for the storage of valuable negatives and prints. Cans for 10" reels made in multiple sizes.  
1 Reel Can, \$.60; 2 Reel, \$.75; 3 Reel, \$.90; 4 Reel, \$1.05; 5 Reel, \$1.20; 6 Reel, \$1.35.



## 1000 FOOT SHIPPING CASES

Octagon shape, heavy steel welded type, fiber lined. Beading and embossing make this the most durable case on the market.


1 Reel \$2.25 3 Reels \$3.25 5 Reels \$3.75  
2 " 2.75 4 " 3.50 6 " 4.00



## 1000 FOOT GALVANIZED SHIPPING CASES

Approved I. C. C.—52A extra heavy gauge galvanized iron. Edges roll over wire. Fibre lined throughout. Corners bound with heavy metal stampings solidly riveted. Strong, wide opening heavy wire hinges, riveted. Approved locking device.

1 Reel \$2.00 4 Reel \$3.25 7 Reel \$4.00  
2 " 2.50 5 " 3.50 8 " 4.00  
3 " 3.00 6 " 3.75 9 " 4.50



Bright tin cans for 500 ft. reels. Can 7 1/4" diameter inside. Beaded and rolled to insure rigidity. No sharp edges.  
Each \$.75




## TRAILER BOXES

Same general construction as shipping cases.

Prices on request.



Galvanized square negative cans. One type with telescopic cover, the other with hinged cover and brass name plate.  
Prices on request.



## WIRE WELDED 10" REELS

10" diameter, 2" hub.  
Strong, rigid and light.  
SW-10 \$.75






## REEL BANDS—1000 FOOT

Heavy kraft paper stock, with strong fibre button and string tie—36" cord. With usual stock imprint for immediate shipment. Especially imprinted with your own firm name and copy—delivery in three weeks.


Stock-printed: 100, \$1.50; 1000, \$12.00; 2000, \$11. per M; 5000, \$10. per M.

Name imprinted: 1000 (minimum order), \$14.; 2000, \$12.50 per M; 5000, \$11. per M.




## ALL STEEL REELS

SP-2 (10" dia. 1000' cap., 2" hub) \$.50  
SP-3 (7" dia. 500' cap., 2" hub) .60  
SP-4 (7" dia. 350' cap., 4" hub) .75



## HUMIDOR CANS—1000 FOOT

Telescope cover, galvanized or tin, 1 Reel size only. Price \$1.50



## FIBRE BARREL TRUCK

Constructed of heavy steel, 4" reinforced band with barrel rest. Equipped with rubber tired, ball-bearing noiseless rollers.  
BT-1 \$.50



## SHIPPING ROOM TRUCK

Of extra heavy construction to withstand hard usage. 2" reinforced angle frame having a 1/4" diamond plate, steel top. Equipped with heavy duty rubber tired ball-bearing noiseless rollers; with detachable pull handle. Size 14" x 26". Finish, olive gray, baked-on enamel.  
SRT-3 \$15.00



## STEEL UTILITY STEP-LADDER

Constructed of all steel, 30" high, 14" wide, 4" treads of heavy diamond plate steel, which provides sure, safe footing, large top platform. Collapsible leg supports, which are held in place by two simple but sure lock hinges. Folds flat. Finished in olive gray, baked-on enamel.

\$25.00



# Modernize —

WITH THESE SMART NEW  
2,000-FOOT ACCESSORIES

OCTAGONAL OR RECTANGULAR  
CASES FOR 2000 FOOT REELS

1 Reel	\$3.75
2 "	4.00
3 "	4.25
4 "	4.50
5 "	4.75




## SHIPPING CASES

Octagon and Rectangular 2000 ft. Take 14½" reels. Heavy steel welded construction throughout. Fibre lined. Beading gives added strength to general sturdiness. The octagon case has removable cover, reels pack flat, but case stands upright during transportation. Rectangular case has hinged cover and patented ring locking device. Reels stand on end.

2000 FOOT CAST ALUMINUM REEL  
Cold rolled steel machined keyway in core. Demountable sides.


AR-17 (15" dia. 2000' capacity, 5" hub) \$3.00  
AR-18 (14½" dia. 2000' capacity, 4" hub) \$2.75



## GALVANIZED CANS

Galvanized steel construction with full telescope cover. Inside measurement 15¼" diameter.


**GC-19 \$2.50**



## WIRE WELDED REELS

Rigid spokes, rolled rims—no sharp edges—smooth joints—balanced throughout for easy running. Non-corroding, non-rusting white finish.


SW-11 (11" dia. 1000' capacity, 5" hub) \$2.75  
SW-14 (14½" dia. 2000' capacity, 5" hub) \$3.00  
SW-15 (15" dia. 2000' capacity, 5" hub) \$3.00  
SW-16 (14½" dia. 2000' capacity, 4" hub) \$2.00



## ALL STEEL REELS

14½" diameter, 4" hub, heavily embossed ensuring rigidity. Cadmium finish.

**SP-5 \$1.25**



## 2000 FT. REEL BANDS

Made of heavy jute paper stock, standard imprinted as shown. Firmly locked on fibre button and 56" strong waxed string.

Lots of	100	\$ 2.50
"	500	11.25
"	1000	20.00
"	2000	19.00 per M
"	5000	17.00 per M



# Film Protective APPARATUS



**SAFETY LEADER BOX**

Perfect protection against fire. Heavy casting with self-closing spring door. Used by film exchanges everywhere. Equipped with two handy cement bottles.

**SL-1 \$6.00**




**FILM CLEANING OR POLISHING MACHINE**

Both for negative and positive. Polishes both sides at one time. Polishing ribbons used are the finest grade of imported silk velvet, which cannot scratch. One yard, film width, of clean surface available on each roll.

**S-1000 \$25.00**

Extra ribbons, ea. 90c



**RAZOR BLADES**

Rigid type, with heavy metal back for convenient handling. Each blade separately wrapped. Packed 100 to the box.

**\$3.00 per Box**



**FILM WAX**

Made according to Neumade's own formula from various imported waxes. Non-spreading; will not creep over emulsion. A perfect lubrication. Packed 100 pieces to the box.

**BW-1 (Box) \$2.00**



**NEUFLEX ADHESIVE TAPES**

In 60 yard lengths, any width from  $\frac{1}{4}$ " to 36". Flexible cloth or paper back. Used by laboratories, camera men and anywhere sealing or masking is necessary. Always fresh. Sample and prices on request. Specify cloth or paper back, and width.




**FILM WAXER**

Fits on any table. Release arm permits quick, easy insertion of film. Strip wax rides in channel with equalizing pressure weight on top. Waxer proper is adjustable on its own sliding clamp to allow perfect alignment with Rewinder. Does a perfect job.

**FW-1 \$30.00**




# CEMENT • BLOOPING INK and Supplies



## CEMENT BRUSHES

Finest camel's hair tightly bound and glued in short quill holder.

5c Ea. 50c Doz.  
Cement Bottles 20c Ea.



## CEMENT APPLICATOR SET

Specially designed glass bottle spring-clipped into heavy base. Heavy aluminum disc lays flat on bottle and keeps it airtight. Applicator, through disc, is made of soft fluted brass and deposits cement quickly and evenly.

AS-1 Nickel Plated \$2.50 AS-2 Black Finish \$2.00





## MOVIETONE INK

Nothing is more important in the perfect blacking out of sound film than the quality of ink used. The finest grade chemicals and dyes conform with our carefully researched formula. Guaranteed not to chip, crack or flake off. Rapid drying, opaque and light resisting. Small bottle—

\$1.00

## CEMENT FAST AND POSITIVE FOR NON-FLAM FILM

Small Bottle	\$ .50
4 oz. Bottle	1.00
Pint Bottle	1.75
Quart Bottle	3.00



## "BIG THREE" APPLICATOR SET

Cement applicator set in centre. Two other bottles, with wood-topped corks—one for Movietone Ink and the other for writing ink or clear water. Rack for pens and clips. Heavy white porcelain finish, nickel-plated trim.

AS-3 \$6.00



## MOVIETONE INK

4 oz. Bottle	\$2.00
Pint Bottle	5.00
Quart Bottle	10.00
Gallon Bottle	30.00

## NEUMADE FILM CEMENT

First choice in many leading theatres and exchanges. Non-corroding, non-buckling—and it doesn't burn the fingers.

Quart Bottle	\$2.00
Gallon (4 Bot.)	\$7.00





# NEEDS *for the* MODERN EXCHANGE



## LABEL PASTE

Sticks on everything—metal, wood, paper, glass, etc. Thin, transparent and water-proof when it dries. It's quick drying and is invaluable in shipping rooms.

**1 Gallon \$1.35**  
**5 Gallon per gal. \$1.00**



## FIRE PAILS

For sand or water use. Galvanized steel, enameled in bright red. The word "fire" printed in large letters.

**75c each**



## CAUTION LABELS

I. C. C. Approved. Size of label 4" x 4". Yellow stock, black type display. 1000 labels to roll.

	Stock-printed	Your name and address imprinted
1 Roll	\$2.90	
5 "	2.50 per M	\$2.75 per M
10 "	2.00 " M	2.50 " M




## FIRE EXTINGUISHERS


Quart gun type  
**FA-1 \$14.00**



**Transparent Leader \$2.90 per M ft.**



**White Opaque \$10.00 per M ft.**



**Black Opaque \$20.00 per M ft.**  
(Developed raw stock)  
**Black Frame-Line .03½ per ft.**  
(with or without sound track)

## Film Leaders

All perfect stock, with perfect perforations, offered in types as shown.

Be Safe—  
Protect  
Yourself  
Against  
Fire—



## FIRE EXTINGUISHERS

Hose type  
**FA-2 \$16.50**  
**2½ Gal. Soda Acid**



Neumade

## FILM MUTILATORS

*"Duping" or Exhibiting  
Neumade-Mutilated Film  
Is Impossible*

These smartly designed machines — both hand and motor-driven models — destroy every inch of *picture* but save the value of the film stock and its silver content.

Each MUTILATOR is finished in crystal-black, baked-on enamel with drop-down door and positive-snap door lock, making it fireproof. MUTILATORS also have clean-out drawers.

All NEUMADE FILM MUTILATORS are delivered complete with bolts to fasten to any inspection table.



## HAND DRIVEN

The perforated film sample at the right shows the simplest of the four perforations available in the hand-driven Mutilator illustrated directly above. This single cutter hubbed model is

**No. FM—1 \$40.00**

A double cutter hub is used in the second type, mutilating the sound track in addition to the picture. The double cutter hubbed model is






**No. FM—2 \$45.00**

Although the single perforation mutilates the film satisfactorily, the double and staggered perforations in the pictures shown at right make a more complete job of it. The staggered cutter hubbed model is

**No. FM—3 \$45.00**

In addition to the staggered perforations, the sound track is also mutilated in the fourth hand-driven model; a triple-sure process which makes it impossible to "dupe" or exhibit the film. The triple cutter hubbed hand-driven model is

**No. FM—4 \$50.00**



## MOTOR DRIVEN

The motor-driven, Neumade Film Mutilator automatically feeds and mutilates the film, eliminating labor. Furnished with  $\frac{3}{8}$  h. p., 110 volt, A. C., motor geared to operate at speed fast enough to insure perfect mutilation. The single cutter hubbed model is

**No. MM—5 \$115.00**

The motor-driven model equipped with the double cutter hub mutilating both the sound track as well as the picture as shown at the left is

**No. MM—6 \$120.00**

The staggered perforation is also available in the motor-driven model. The staggered cutter hubbed type is

**No. MM—7 \$120.00**

The motor-driven Mutilator with the triple cutter hub mutilating the sound track and staggering the perforations in each picture is the type most recommended. It combines automatic action with triple mutilation. It is suggested as the most practical Mutilator for general use in any exchange or laboratory. It is

**No. MM—8 \$125.00**


*You Can't Be Sure You've Killed a Print or a Negative Unless  
You've Run It Through a Neumade Mutilator*



Neumade

# PROTECT YOUR 16 mm FILMS

## They'll Last Longer



### DC-175

As illustrated holds 80 reels, with or without cans. Overall dimensions 50 1/4" high, 28" wide, 11 1/4" deep. Top compartment 14" high, 28" wide, 11 1/4" deep. Drop door shelf 26 1/2" x 14". Lower compartment 26 1/2" high, 11 1/4" deep, 28" wide. Accessory drawers 11" x 11" x 2" high.

**\$175.00**

**R**APIDLY increasing use of non-theatrical motion pictures has made their storage an important problem. Acetate, or "safety", film is susceptible to damage through careless storage. Average room temperatures, which change sharply during the course of any given day, will ruin safety film in a comparatively short period of time, particularly since the average safety print is so infrequently used.


Tight enclosures in which temperature and humidity changes can be better controlled are an absolute necessity. There have been built into the Neumade line of storage cabinets for non-theatrical film the invaluable result of many years' experience in the manufacture of storage equipment for the commercial motion picture industry.

### STORAGE AND WORK FACILITIES COMBINED IN A SINGLE CABINET

The basic unit is desk-type steel cabinet with a bottom compartment for straight storage purposes and a top compartment especially designed for more temporary storage while the film is being cleaned, spliced, or edited. Total capacity of the basic unit is eighty 400-foot reels. Dividers are spaced wide enough to allow storage in individual cans—which is always advisable.

Fittings and hinges on the drop leaf make it absolutely rigid when lowered for working purposes. It is covered with battleship linoleum, neatly bound in brass. Rewinders mounted on the drop leaf clear when the door is raised. Two drawers at the top of the unit are for tools and supplies.

Sectional units, providing additional storage space as the need develops, can be placed on top of the base unit.



### DC-200

Same cabinet as DC-175 with two twenty reel units mounted on top. Total reel capacity 140—400' cans or reels. Rewinders mounted on drop door shelf are two geared end baby type.

As Illustrated  
Without Rewinders

**\$225.00**

### DUST-PROOF TAMPER-PROOF FIRE-RESISTANT


Absolutely tight construction — spot-welding instead of bolts — makes this fine cabinet dust-proof.

All three doors lock with both catches and keys—so it's tamper proof.

Every ounce of material used, excepting the battleship linoleum and brass binding, is steel—so it's fire-resistant.


### DC-200

This illustration shows cabinet completely closed.






# Quantity STORAGE CABINETS for 16mm Film



MM-100 (with separators—holds 100 reels).....\$100.00  
 MM-101 (without separators—holds 140 reels) 90.00  
 Overall size—72" high, 28" wide, 10" deep. Takes 400'  
 16mm Reels with or without cans.



MM-20 (with separators—holds 20 reels).....\$27.50  
 MM-21 (without separators—holds 30 reels).....25.00  
 Overall size 29" wide, 14" high, 10" deep. Same construction as larger size cabinets with the exception that it has a drop door locking with snap catch. Door serves as shelf when cabinet is open. Handy for use on shelf or table. Can be stacked one on top of each other in as many tiers as desired.



MM-55 (with separators holds 50 1600' reels).....\$120.00  
 Overall size—41" wide, 16" deep, 52½" high. Has two interlocking doors.

All cabinets are heavy gauge steel throughout, thoroughly reinforced. Door has three-point locking device, chrome handles, lock and two keys. Angle racks for reels in vertical position. Made with or without curved wire rod reel separators. Removable moisture tray drawer in base of each cabinet. Floor models have cast feet.




MM-40 (with separator—holds 40 reels).....\$50.00  
 MM-41 (without separators—holds 56 reels).....46.00  
 MM-50 (with separators—holds 50 reels).....60.00  
 MM-51 (without separators—holds 75 reels).....54.00  
 Overall size MM-40—29 x 29 x 10", MM-50—38 x 25 x 10".



# Sectional 16mm FILM CABINETS *Sealtite*

*for 400—1600 ft. and  
all standard multiple-  
sized reels.*

All cabinets are of sheet steel construction, and have a  $\frac{1}{2}$ " air chamber wall between each reel. Each compartment is equipped with individual door, convenient handle and index card holder. Handle and holder are chrome plated. Inside of door fitted with special reel carriage, with a protection plate on each side of reel; door closes and is held shut by gravity. Standard finish baked-on olive gray enamel.




**ST-4-D**

Each compartment will hold two 400' reels with or without cans.

**\$2.75 per compartment**

5 Compartment cabinet	\$13.75
6 " " "	16.50
8 " " "	22.00
10 " " "	27.50
12 " " "	33.00



**ST-16-S**

Each section will store a single 1600' reel with or without can.

**\$3.50 per compartment**

5 Compartment cabinet	\$17.50
6 " " "	21.00
8 " " "	28.00
10 " " "	35.00
12 " " "	42.00




**ST-16-D**

You can store two 1600' reels with cans or three to each section without cans.

**\$4.50 per compartment**

5 Compartment cabinet	\$22.50
6 " " "	27.00
8 " " "	36.00
10 " " "	45.00
12 " " "	54.00



Top, bottom and sides of cabinet have flat surfaces to permit stacking of cabinets in as many tiers as desired.

*Made in units of 5, 6, 8, 10  
and 12 compartments or more;  
smaller units than 5 compart-  
ments 10% extra.*



**ST-4-S**

Takes one 400' reel with or without can.


**\$2.00 per compartment**

5 Compartment cabinet	\$10.00
6 " " "	12.00
8 " " "	16.00
10 " " "	20.00
12 " " "	24.00




# and 16mm FILM Must Be Measured

Neumade Services the Non-Theatrical  
Field with Nothing but  
High Quality Apparatus



**HM-5-S**  
Single hub 16mm measuring  
machine, for footage only.  
**\$35.00**




**DS-16-D**

Synchronizer type machine has counter for measuring footage and separate clock dial for measuring each frame. Double hub model illustrated.


**Single Hub Model**  
**\$125.00**

**Double Hub Model**  
**\$135.00**



**HM-5-D**  
Equipped with two sprockets. For measuring one or two films at the same time. Counter measures footage only.

**\$55.00**



**HM-16 Combination Measuring Machine**


Equipped with one sprocket for 35mm and two for 16mm film. Checks both the smaller width film with the standard professional frame-for-frame, at the same time totalling the footage of the 35mm film.

**\$75.00**

Steel cast housings are black enamel. Sprocket hubs, rollers and other trim are chrome plated. Accurate patented counter supplied with each machine. Mounted on acid-resisting white porcelain light-reflecting base of generous size. Usually supplied with hubs having teeth on one side only which permits measuring sound film too. Two-sided hub for measuring silent film exclusively can be substituted at no extra charge.

Single and double hub machines in stock.


Multiple sprocket models made up special. Price on request.



**SYNCHRONIZING MACHINE  
AND REWINDING UNIT**

Equipped with double hub machine which measures both footage and frames. Two geared ends synchro-dual 16mm rewinders, tall enough to take the largest reels in general use. Has friction clip which rides the shaft between the reels, leather faced friction hub and locking knurl nut at end of shaft to hold reels firmly in position. These devices insure even tension and pick-up. All mounted on a sub-base of hard wood and covered with acid-resisting light-reflecting white porcelain. Bottom is felt covered.

**\$165.00**



**HM-5 MACHINE  
AND REWINDING UNIT**


Same as synchronizer unit with the exception that the HM-5-D measuring (footage only) machine is substituted.

**\$80.00**






# REWINDERS . . . for 16mm use



## TAKES UP TO 1000 FT. REELS

Baby Rewinders with special square shafts such as found on projectors. Shaft is equipped with embedded ball button to hold reel on. Demountable clamp allows rewriter to be bolted on to table permanently or clamped on to surface for temporary use.

**Geared End—\$5.50    Dummy End—\$2.50**  
**Set \$8.00**




Baby Rewinder, equipped with 35mm shaft. May also be used for 16mm width reels.  
**\$4.00**

Geared End Baby Rewinder with special square shaft and equipped with 2" brass momentum flange, affixed permanently to shaft, which provides weight when rewinding one and two hundred foot spools.  
**\$6.50**



*Standard Geared End Baby Rewinder showing how parts may be dismantled. Handle also removable.*




HM-4 4" Special Flange — Combination 35 and 16mm flange, attached to shaft and gear of rewriter. Can be interchanged with square shaft or 35mm length shaft.  
**\$4.00**



## FOR 1600 FT. REELS OR LARGER

No. 1 Rewinders equipped with special square shafts for 16mm width film. Equipped with reel-locking jack to prevent reels from flying off. This model must be bolted to the table or bench.

**Geared End—\$6.00    Dummy End—\$3.50**  
**Set consisting of one of each \$9.50**



## FOR 1600 FT. REELS OR LARGER

No. 2 Rewinders equipped with special square shafts for 16mm width film. Equipped with reel-locking jack to prevent reels from flying off. This model can be temporarily clamped to bench or table and is also provided with holes for bolting permanently.

**Geared End—\$8.00    Dummy End—\$4.50**  
**Set consisting of one of each \$12.50**



16MM FLANGES


Spring (heavy) brass, stationary hub type. Model illustrated is a combination 16 and 35mm. Reverse plate and you have a 6" 35mm flange.

HM-1 4" Single	\$3.50	HM-8 6" Double Comb.	\$8.50
HM-2 6" "	4.00	HM-9 10" Single	6.00
HM-3 6" Double	7.50	HM-10 10" Double	10.00
		HM-11 10" Double Comb.	12.00

When ordering please specify whether desired for round or square shaft rewinders.



# 16mm. Film ACCESSORIES



## 16MM WIRE WELDED REELS

These wire reels for 16mm film are of the same construction as those used in leading theatres for 35mm. Generous size hubs and rigid wire spokes to insure perfect balance and easy running. Rust-proof finish.

MR-1 400' capacity	\$ .60	MR-12 1200' capacity	\$2.75
MR-8 800' "	1.75	MR-16 1600' "	3.00
MR-10 1000' "	2.00		




**HUMIDOR CANS**  
Aluminum, corrugated reinforcing, with moisture pad, covered with perforated non-rusting metal, which fits into recess a little below the level of the base of the can.

MC-1 400' capacity  
\$.65

**ALUMINUM REELS**  
Extra heavy aluminum plate. Hubs quadruple clinched to side pieces. Work on both square and round shafts.

MR-2 400' capacity  
\$.60



## 400 FT. SHIPPING AND CARRYING CASES

Galvanized sheet metal, fibre lined, has patented ring locking device and convenient handle for carrying.

MC-1 Reel Case	\$1.25
MC-2 Reel Case	1.50
MC-3 Reel Case	1.75
MC-4 Reel Case	2.00
MC-5 Reel Case	2.25
MC-6 Reel Case	2.50

Larger sizes on special order



**1 REEL 400 FT. ROUND STORAGE CAN**  
Galvanized steel storage can made with or without humidor.

GC — \$.85  
Without Humidor

GH — \$1.00  
With Humidor



**METAL SPRING BANDS**  
Made of especially oil treated hardened blue steel, for 400 feet or less. White finish.

\$2.00 per dozen.

**16MM PAPER REEL BANDS**  
Heavy kraft paper waxed string tie. Stock printed—100-\$2.00; 1000-\$18.00. If name and address are to be imprinted, 1000 minimum quantity—\$20.00. Bands for 1600 ft. reels, stock printed—100-\$5.00; 1000-\$25.00. This size can also be specially imprinted.

## 16MM CASES

Sized to take reel and can. Galvanized steel, fibre lined. Stocked in following sizes:

	800 FT.	1000 FT.	1200 FT.	1600 FT.
1 Reel	\$1.75	\$2.00	\$2.75	\$3.00
2 "	2.25	2.50	3.25	3.50
3 "	2.75	3.00	3.75	4.00
4 "	3.25	3.50	4.25	4.50


Larger capacity cases on special order




## FIBRE SHIPPING CASES

Vulcanized fibre with steel trunk corners. Telescope cover with 1" webb strap and fastening buckle. In all sizes and for all capacity reels.

Prices on request



**BAKELITE CORE**  
for 16mm positive or negative use.  
\$.25



## HUMIDOR CANS

In heavy spun aluminum or galvanized.

	Aluminum	Galv.
800 ft. capacity	\$2.50	\$2.00
1000 ft. capacity	3.00	2.25
1200 ft. capacity	—	2.50
1600 ft. capacity	3.50	3.00



# 16mm Splices Hold with GRISWOLD JUNIOR on the Job!

Same operating principle,  
same fine results as in  
all 35MM Models

No.	Name	Price Each
61	Upper Left Jaw	\$1.25
62	Cement Guard (Attaches to Upper Left Jaw)	.40
63	Lower Pressure Spring (Attaches to Upper Right Jaw)	.40
64	Upper Pressure Spring (Attaches to Upper Right Jaw)	.40
65	Upper Right Jaw	1.25
66	Lower Left Jaw	1.50
67	Base	3.00
68	Lower Right Jaw	1.50
69	Lower Shear Blade for 1/16" Splice	.75
70	Lower Shear Blade for 1/10" Splice	.75
71	Hinge Rod	.75
72	Upper Shear Blade (two are used)	.35
73	Adapter (two are used on 1/16" Lower Shear Blade)	.10
74	Latch Spring (two are used)	.15
75	Scraper Holder	.75
76	Felt Moistener	.05
77	Set Screw for Lower Shear Blade and Hinge Rod (three are used)	.05
78	Adjusting Screw for Pressure Spring and Cement Guard (four are used)	.05
79	Emulsion Scraper Guide	.10
80	Lower Nut for Latch Pin (two are used)	.05
81	Washer for Latch Pin (two are used)	.05
82	Latch Pin (two are used)	.15
83	Upper Nut for Latch Pin (two are used)	.05
84	Emulsion Scraper Blade for 1/16" Splice	.12
85	Emulsion Scraper Blade for 1/10" Splice	.12
86	Screw for attaching Cement Guard, Pressure Spring, Upper Shear Blade and Latch Spring, (ten are used)	.05
87	Scraper Blade Screw	.05

Order replacement parts by number

## "BLOOP" PUNCHES and NOTCHERS

Indispensable  
for  
Proper  
SOUND  
SPLICING


16 mm. "V" Notcher  
V-2 \$7.00



16 mm. Bloop Punch  
WE-16 \$8.50

This machine splices 16mm silent or sound film,  
also 8mm width. 1/10" overlap for positive—  
1/16" for negative. Specify type when ordering.

HM-6 \$15.00





# PRICE LIST . . . Neumade Machine Parts

ORDER BY NUMBER

See Pages  
44, 45 and 46

## No. 1 REWINDER

### Geared End

U-1	Reel Shaft Unit Complete	1.85
U-2	Reel Shaft Unit without collar and gear	1.00
U-3	Master Gear Shaft Unit Complete	1.50
U-4	Crank Handle Unit Complete	.80
R-9	Reel Shaft Key	.06
R-10	Reel Shaft Finger	.25
R-11	Reel Shaft Finger Pin	.05
R-13	Reel Shaft Finger Spring	.10
R-14	Reel Shaft Collar	.15
R-15	Reel Shaft Pinion	.85
R-20	Master Gear Shaft	.25
R-22	Master Gear only	1.25
R-25	Wood Handle	.10
R-26	Handle Shoulder Bolt	.20
O-1	Pinion Pin	.05
O-3	Master Gear Crank Pin	.05
O-4	Cover Screw Lockwasher	.02
O-5	Cover Screw	.05
O-6	Table Bolt	.05
O-8	Table Bolt Nut	.03
O-9	Handle Bolt Nut	.05
O-10	Handle Bolt Lockwasher	.02
O-25	Reel Shaft Finger Ball	.02
*GE-1	Front Housing	1.25
*GE-1	Rear Housing	1.25
BH-1	Crank	.50

\*Together only.

## No. 1 REWINDER

### Dummy End

U-14	Reel Shaft with Collar	1.35
U-15	Reel Shaft complete with nuts, washer and spring	2.00
U-27	Reel Shaft with key and finger only	1.00
R-9	Reel Shaft Key	.06
R-10	Reel Shaft Finger	.25
R-11	Reel Shaft Finger Pin	.05
R-13	Reel Shaft Finger Spring	.10
R-14	Reel Shaft Collar	.15
R-18	Reel Shaft Friction Knurl Nut	.25
R-28	Reel Shaft Friction Collar	.25
R-40	Reel Shaft Tension Spring	.35
O-6	Table Bolt	.05
O-7	Table Bolt Washer	.02
O-8	Table Bolt Nut	.03
O-25	Reel Shaft Finger Ball	.02
DE-1	Housing	1.25

## No. 2 REWINDER

### Geared End

U-3	Master Gear Unit Complete	1.50
U-4	Crank Unit Complete	.80
U-5	Clamp Screw Unit Complete	1.00
U-11	Reel Shaft Unit Complete	1.85
U-12	Reel Shaft Unit without pinion or collar	1.00
R-9	Reel Shaft Key	.06
R-10	Reel Shaft Finger	.25
R-11	Reel Shaft Finger Pin	.05
R-13	Reel Shaft Finger Spring	.10
R-14	Reel Shaft Collar	.15
R-15	Reel Shaft Pinion	.85
R-20	Master Gear Shaft	.25
R-22	Master Gear only	1.25
R-25	Wood handle	.10
R-26	Handle Shoulder Bolt	.20
O-1	Pinion Pin	.05
O-3	Master Gear and Crank Pin	.05
O-4	Cover Screw Lockwasher	.02
O-5	Cover Screw	.05
O-6	Table Bolt	.05
O-8	Table Bolt Nut	.03
O-9	Handle Bolt Nut	.05
O-10	Handle Bolt Lockwasher	.02
O-25	Reel Shaft Finger Ball	.02
*GE-2	Housing	2.75
*GE-2a	Housing Cover	.50
BH-1	Crank	.50

\*Together only.

## No. 2 REWINDER

### Dummy End

U-5	Clamp Screw Unit	1.00
U-16	Reel Shaft with Collar	1.50
U-17	Reel Shaft complete with nuts, collars and spring	2.00
U-27	Reel Shaft without collar	1.00
R-9	Reel Shaft Key	.06
R-10	Reel Shaft Finger	.25
R-11	Reel Shaft Finger Pin	.05
R-13	Reel Shaft Finger Spring	.10
R-18	Reel Shaft Friction Knurl Nut	.25
R-23	Reel Shaft Collar	.25
R-28	Friction Collar	.25
R-40	Friction Spring	.35
R-41	Friction Leather	.10
O-6	Table Bolt	.05
O-7	Table Bolt Washer	.02
O-8	Table Bolt Nut	.03
O-25	Reel Shaft Finger Ball	.02
DE-2	Housing	2.25

## No. 3 REWINDER

### Geared End

U-3	Master Gear Unit Complete	1.50
U-6	Reel Shaft, without pinion	1.00
U-7	Crank Unit Complete	1.00
U-9	Reel Shaft Complete	2.00
R-9	Reel Shaft Key	.06
R-10	Reel Shaft Finger	.25
R-11	Reel Shaft Finger Pin	.05
R-13	Reel Shaft Finger Spring	.10
R-16	Reel Shaft Pinion	1.25
R-20	Master Gear Shaft	.25
R-22	Master Gear Only	1.25
R-25	Wood Handle	.10
R-26	Handle Shoulder Bolt	.20
O-1	Pinion Pin	.05
O-3	Master Gear and Crank Pin	.05
O-4	Cover Screw Lockwasher	.02
O-6	Table Bolt	.05
O-8	Table Bolt Nut	.03
O-9	Handle Bolt Nut	.05
O-10	Handle Bolt Lockwasher	.02
O-25	Reel Shaft Finger Ball	.02
*GE-3	Housing	2.00
*GE-3a	Housing Cover	.50
EH-1	Crank	.75

\*Together only.

## No. 3 REWINDER

### Dummy End

U-18	Reel Shaft with collar only	1.35
U-31	Reel Shaft, comp. with collars, springs, etc.	2.00
U-32	Reel Shaft Only, with key and finger	1.00
R-9	Reel Shaft Key	.06
R-10	Reel Shaft Finger	.25
R-11	Reel Shaft Finger Pin	.05
R-13	Reel Shaft Finger Spring	.10
R-19	Tension Knurl Nut	.25
R-23	Reel Shaft Collar	.25
R-39	Reel Shaft End Collar	.25
R-40	Tension Spring	.35
R-41	Reel Shaft Leather Friction	.10
R-44	Tension Stud	.20
R-46	Reel Shaft Inner Friction Collar	.25
R-48	Fulcrum Pin	.15
O-1	Collar Pin	.05
O-6	Table Screw	.05
O-7	Table Screw Washer	.02
O-8	Table Screw Nut	.03
O-25	Reel Shaft Finger Ball	.02
DE-3	Housing	2.00
DE-3a	Release Lever	.75

## No. 4 REWINDER

### Geared End

U-3	Master Gear Unit Complete	1.50
U-5	Clamp Screw Unit Complete	1.00
U-6	Reel Shaft without Pinion	1.00
U-7	Crank Unit Complete	1.00
U-9	Reel Shaft Complete	2.00
R-9	Reel Shaft Key	.06
R-10	Reel Shaft Finger	.25
R-11	Reel Shaft Finger Pin	.05
R-13	Reel Shaft Finger Spring	.10
R-16	Reel Shaft Pinion	1.25
R-20	Master Gear Shaft	.25
R-22	Master Gear only	1.25
R-25	Wood Handle	.10
R-26	Handle Shoulder Bolt	.20
O-1	Pinion Pin	.05
O-3	Master Gear and Crank Pin	.05
O-4	Cover Screw Lockwasher	.02
O-6	Table Bolt	.05
O-8	Table Bolt Nut	.03
O-9	Handle Bolt Nut	.05
O-10	Handle Bolt Lockwasher	.02
O-25	Reel Shaft Finger Ball	.02
*GE-4	Housing	3.00
*GE-3a	Housing Cover	.50
EH-1	Crank	.75

\*Together only.

## No. 4 REWINDER

### Dummy End

U-5	Clamp Screw Complete	1.00
U-18	Reel Shaft with Collar only	1.35
U-31	Reel Shaft complete with collars and springs, etc.	2.00
U-32	Reel Shaft only with key and finger	1.00
R-9	Reel Shaft Key	.06
R-10	Reel Shaft Finger	.25
R-11	Reel Shaft Finger Pin	.05
R-13	Reel Shaft Finger Spring	.10
R-19	Tension Knurl Nut	.25
R-23	Reel Shaft Collar	.25
R-39	Reel Shaft End Collar	.25
R-40	Tension Spring	.35
R-41	Reel Shaft Leather Friction	.10
R-44	Tension Stud	.20
R-46	Reel Shaft Inner Friction Collar	.25
R-48	Fulcrum Pin	.15
O-1	Collar Pin	.05
O-6	Table Screw	.05
O-7	Table Screw Washer	.02
O-8	Table Screw Nut	.03
O-25	Reel Shaft Finger Ball	.02
DE-4	Housing	2.50
DE-3a	Release Lever	.75

## BABY REWINDER

### Geared End

U-8	Crank Complete	.50
U-10	Clamp Complete	.75
U-13	Master Gear Unit Complete	1.50
U-19	Reel Shaft Complete	1.85
U-20	Reel Shaft without Gear	1.00
U-33	Clamp Screw Unit only	.35
R-9	Reel Shaft Key	.06
R-10	Reel Shaft Finger	.25
R-11	Reel Shaft Finger Pin	.05
R-13	Reel Shaft Finger Spring	.10
R-15	Reel Shaft Pinion	.85
R-17	Knurl Screw	.15
R-21	Master Gear Shaft	.25
R-22	Master Gear only	1.25
R-25	Wood Handle	.10
R-26	Crank Shoulder Bolt	.20
R-29	Housing Cover	.25
O-1	Pinion Pin	.05
O-3	Master Gear Pin	.05
O-5	Round Head Cover Screw	.05
O-9	Handle Bolt Nut	.05
O-10	Handle Bolt Lockwasher	.02
O-25	Finger Ball	.02
O-26	Flat Head Cover Screw	.02
BGE-1	Housing (complete)	1.75
B-1	Crank	.30

## BABY REWINDER

### Dummy End

U-10	Clamp Complete	.75
U-21	Reel Shaft Complete	1.00
U-33	Clamp Screw Unit Only	.35
R-10	Finger	.25
R-11	Finger Pin	.05
R-13	Finger Spring	.10
R-17	Knurl Screw	.15
O-25	Finger Pin Ball	.02
BDE-1	Housing	1.00

## SYNCHRO DUAL

### REWINDER

U-3	Master Gear Complete	1.50
U-7	Crank Unit Complete	1.00
U-24	Friction Collar with Leather Washer attached	1.25
U-26	Friction Spring Complete	2.00
U-28	Reel Shaft Complete	3.50
U-29	Reel Shaft without Pinion	2.65
R-9	Reel Shaft Key	.06
R-16	Reel Shaft Pinion	1.25
R-18	Reel Shaft Knurl Nut	.25
R-20	Master Gear Shaft	.25
R-22	Master Gear only	1.25
R-24	Friction Hub Pin	.05
R-25	Wood Handle	.10
R-26	Handle Shoulder Bolt	.20
R-28	Friction Collar	.35
R-32	Leather Friction	.10
O-1	Pinion Pin	.05
O-3	Master Gear and Crank Pin	.05
O-4	Cover Screw Lockwasher	.02
O-6	Table Bolt	.05
O-8	Table Bolt Nut	.03
O-9	Handle Bolt Nut	.05
O-10	Handle Bolt Lockwasher	.02
O-11	Cover Screw	.05
*GE-5	Housing	4.00
*GE-3a	Housing Cover	.50
EH-1	Crank	.75


\*Together only.

## FILM CLEANER


### S-1000

U-34	Idle Velvet Roller Complete	2.50
U-35	L. H. Ratchet Velvet Roller Complete	3.00
U-36	R. H. Ratchet Velvet Roller Complete	3.00
U-37	Ratchet Pawl	1.00
U-38	Swinging Arm Complete	4.00
U-39	Velvet Ribbon Complete	.90
C-10	Film Guide Roller	2.00
C-11	Film Guide Roller Shoulder Screw	.15
C-14	Swing Arm Spring	.15
C-15	Spring Pin	.05
C-16	Swing Arm Shoulder Screw	.10
W-16	Swing Arm Roller	1.00
W-17	Swing Arm Roller Shoulder Screw	.15
S-21	Ratchet Roller Shaft	.75
S-22	Idle Roller Shaft	.75
S-23	Ratchet	.75
S-24	Knob Washer	.15
S-25	Idle Shaft Roller	.75
S-26	Idle Shaft Knurl Washer	.50
S-27	Take-up Knurl Washer	.20
S-28	Pawl Stop Pin	.05
S-29	Cone Point Pawl Screw	.15
S-30	Pawl Spring	.05
O-27	Swing Arm Adjusting Screw	.08
O-28	Adjusting Screw Nut	.02
O-29	Pawl Screw Nut	.02
O-30	Pawl Screw	.08
O-31	Roller Knob	.20
O-32	Pawl Adjusting Screw Nut	.02
O-33	Velvet Post Fastener	.03
O-34	Velvet Spring Fastener	.03
O-35	Segment Fastening Screw	.05
S-1	Stand	5.00
S-2	Stand Segment	1.50
S-3	Pawl	1.00
M35-2	Swinging Arm	3.00








GEARED END REWINDER No. 1 (BENCH TYPE)




GEARED END REWINDER No. 2 (CLAMP TYPE)









GEARED END, EVERWEAR REWINDER No. 3 (BENCH TYPE)



GEARED END, EVERWEAR REWINDER No. 4 (CLAMP TYPE)




DUMMY END, EVERWEAR REWINDER No. 3 (BENCH TYPE)





DUMMY END, EVERWEAR REWINDER No. 4 (CLAMP TYPE)






GEARED END, BABY REWINDER




SYNCHRO DUAL REWINDER







# DIMENSIONAL DRAWINGS OF VENTED CABINETS




**FIRE-SAFE  
CABINET**  
for 2000 ft. Reels




**FUME-TITE  
CABINET**  
for 2000 ft. Reels



**FIRE-CHIEF  
CABINET**  
for 2000 ft. Reels



**75 REEL STORAGE  
CABINET**  
for 10" Reels



**25 REEL STORAGE  
CABINET**  
for 10" Reels



# INDEX

	Factory Reference Number	Page		Factory Reference Number	Page		Factory Reference Number	Page
<b>ADHESIVE TAPE</b> .....		32	<b>DESKS</b>			<b>PUNCHES</b>		
<b>BANDS</b>			Projectionist's .....	3375	11	Bloop—16mm .....	255	42
Metal Spring—16mm .....	205	41	S-133 Shipper's .....	3290	11	Bloop—35mm .....	3160	28
Paper Stock—16mm .....	305	41	S-314 Shipper's .....	3385	11	Cue .....	3170	28
Paper Stock—35mm-1Mft. ....	310	30	Utility .....	3395	11	Name Embosser .....	3180	28
Paper Stock—35mm-2Mft. ....	315	31	<b>DIMENSIONAL DRAWINGS</b>			V Notcher—16mm .....	3190	42
<b>BAKELITE CORES—16mm</b> .....	215	41	Of Neumade Vented Cabinets .....		47	V Notcher—35mm .....	3200	28
<b>BARRELS</b>			<b>EDITING RACKS</b> .....	3105	21	<b>RAZOR BLADES</b> .....	3210	32
Fibre Film Cutting .....	225	27	<b>EXIT BOXES</b> .....	4160	7	<b>REELS</b>		
Linings .....	325	27	<b>FILM CLEANING MACHINES</b> .....	4170	32	1000' 35mm Steel .....	4310	30
<b>BOXES</b>			Parts .....	3115	43	1000' 35mm Wire Welded .....	3220	30
Card File .....	26	26	Ribbons .....	3125	32	500' 35mm Steel .....	3230	30
Film Working .....	210	26	<b>FILM HORSES</b>			2000' 35mm Alum. ....	4320	31
Safety Leader .....	335	32	FH-1 to FH-4 .....	3135	21	2000' 35mm Steel .....	4330	31
<b>CABINETS</b>			FH-5 (Special) .....	240	21	2000' 35mm Wire Welded .....	4340	31
Accessory—WAC-1 .....	410	17	<b>FILM WAXING MACHINES</b> .....	4180	32	16mm Alum. ....	3235	41
Carbon Storage .....	420	17	<b>FILM WAX</b> .....	4190	32	16mm Wire Welded .....	3245	41
Clothes .....	320	18	<b>FIRE EXTINGUISHERS</b> .....	3145	34	<b>REWINDERS</b>		
Counter Height .....	330	18	<b>FIRE PAILS</b> .....	3030	34	Automatic .....	4350	7
Desk Height .....	340	18	<b>FLANGES</b>			Baby—16mm .....	3255	40
Fire Chief .....	430	13	16mm .....	4200	40	Baby—35mm .....	4360	6-40
Fire Safe .....	440	13	35mm Brass .....	4210	29	Dynamic .....	3265	4
Fume-Tite FD-12 .....	345	12	35mm Alum. 1000' .....	3040	29	Dynamic—Motor Drive		
Fume-Tite F-6 .....	355	12	35mm Alum. 2000' .....	245	29	& Side Tension .....	4370	7
Fume-Tite F-12 .....	450	12	35mm Alum. Trailer .....	3050	29	Everwear Bench #3 .....	4380	5
Fume-Tite Rainhoods .....	460	12	<b>FLOODLIGHTS</b>			Everwear Clamp #4 .....	4390	5
Fume-Tite Vent Piping .....	470	12	Sunlite .....	4220	3	Giant .....	4400	6
Gelatine .....	480	17	Extension Stand .....	4230	3	Bench type 35mm #1 .....	4410	5
General Storage .....	350	18	Extension Stand Outfit .....	4240	3	Bench type 16mm #1 .....	3275	40
Glass Door .....	360	18	Color Hood .....	3155	3	Clamp type 35mm #2 .....	4420	5
Innovation .....	490	15	Pipe Clamp .....	3165	3	Clamp type 16mm #2 .....	3285	40
Neulox .....	4010	15	Bulbs .....	250	2	Pulleys .....	4430	7
Neutype .....	4020	15	Rubber Cable .....	3405	3	Synchro Dual .....	4440	6
Sealtite .....	4030	15	<b>GLOVES</b>			#5A Double Shaft .....	4450	6
75 Reel Approved—10" .....	365	14	Cotton .....	3060	28	#3 BB Ball Bearing .....	4460	21
25 Reel Approved—10" .....	375	14	<b>HAND TALLY</b> .....	260	7	Tite-winder .....	265	21
Title & Seal—WTC-1 .....	4040	17	<b>INK</b>			Part Prices .....	3295	43
Title & Seal—S-300 .....	385	26	Movietone Blooming .....	4250	33	Part Illustrations .....	44-45-46	
Title & Seal—S-301 .....	370	26	<b>LABELS</b>			<b>SPECIAL MADE EQUIPMENT</b> .....	24-25	
Utility—S-320 .....	4050	17	Caution .....	3070	34	<b>SPlicing MACHINES</b>		
X-Ray .....		14	Paste .....	3175	34	Griswold 16mm .....	275	42
DeLux—16mm .....	395	36	<b>LEADERS</b>			Parts for 16mm .....	3240	42
General Storage—16mm .....	3005	37	Black Opaque .....	3080	34	Griswold 35mm .....	285	19
Sectional Storage—16mm .....	3015	38	Frame-Line .....	3090	34	Parts for 35mm .....	4470	19
<b>CANS</b>			Plain Transparent .....	3100	34	Universal 35mm & Parts .....	3250	28
Carbon Waste .....	4060	27	White Opaque .....	3110	34	<b>SPOTS</b>		
Humidor—35mm—1 Mft. ....	235	30	<b>LENS ADAPTERS AND</b>			Beauty Spot .....	4480	2
Immersion Scrap .....	220	27	<b>HOLDERS</b> .....	4260	7	Beauty Spot with Stand .....	4490	2
Negative Storage .....		30	<b>MEASURING MACHINES</b>			Extension Stand Only .....	4500	2
Paper Waste .....	3025	27	Counters .....		23	Beauty Spot & Motocolor .....	4510	3
Self-Closing Scrap Film .....	4070	27	16mm Footage .....	3185	39	Motocolor Wheel Only .....	4520	3
Scrap Film—Step-on .....	4080	27	16mm Synchronizers .....	3195	39	Manual Color Wheel .....	4530	2
Tin—500 ft. ....	4090	30	16mm Combination .....	105	39	Ceiling Bracket .....	3305	2
2000' Galv. ....	4100	31	16mm Unit Outfits .....	3120	39	Pipe Clamp .....	3315	2
Vault Cans .....	230	30	35mm Footage—1 & 2 hubs .....	4270	23	Bulbs .....	270	2
16mm—400' .....	3035	41	35mm Footage—3 & 4 " .....	3205	23	<b>TABLES</b>		
16mm Alum. 800-1600' .....	380	41	35mm Footage & Frame (S&D) .....	4280	22	Projection Booth .....	4540	8-9
16mm Galv. 800-1600' .....	3045	41	35mm Footage & Frame (T&Q) .....	3130	22	Inspection Room .....		
<b>CASES</b>			Multiple Unit Outfits Comp. ....	3215	23	T-125-127-140 .....	4550	10
Shipping—16mm Galv. ....	390	41	Synchronizers .....	4290	22	T-145 .....	3260	10
Shipping—16mm Fibre .....		41	M-80 Synchronometers .....	3225	22	T-156 Shipping .....	3325	11
Shipping—35mm 1000' Octagon ..	3010	30	M-75 Synchronometers .....	4300	22	T-165 Shipping .....	295	11
Shipping—35mm 1000' Galv. ....	3055	30	35 & 16mm Combination .....	115	22	Timing Table .....	2005	20
Shipping—Trailer .....		30	<b>MUTILATORS</b>			Timing Stand Only .....	3270	20
Shipping—35mm 2000' .....	3020	31	Hand Driven .....	3140	35	Cutting & Viewing .....	2015	20
<b>CEMENT</b>			Motor Driven .....	3150	35	Moviola Stand Only .....	3335	20
Applicator Sets & Parts .....	4110	33	<b>PUNCHES</b>			Projector Tilt .....	3345	20
Brushes .....	4120	33	<b>TICKET BOXES</b>			<b>TRUCKS</b>		
Bottles .....	4130	33	Modern Design .....	4560	16	Cutting Barrel .....	2025	30
For Nitrate Film .....	4140	33	TB-1 .....	3355	16	Film Shipping Room .....	2035	26-30
For Non-flam Film .....	4150	33	TB-3 .....	3365	16	<b>UTILITY STEP LADDER</b> .....	3280	30
<b>CHAIRS (METAL)</b>			<b>TRUCKS</b>					
Inspection Room .....	3065	26	Cutting Barrel .....	2025	30			
Projection Booth .....	3075	26	Film Shipping Room .....	2035	26-30			
Ticket Office .....	3085	26						
Footrests .....	3095	26						



### **TERMS AND CONDITIONS OF SALE**

All merchandise sold f. o. b. our factory, Buffalo, N. Y.

Cash discount 2%, 10 days; 30 days net.

Prices subject to change without notice.

### **ORDERS**

Order by catalogue number only.

Most Neumade Products finished in olive-gray baked-on enamel. Where color other than our standard finish is desired, an additional charge will be made.

No discount will be allowed on any order amounting to less than \$1.00 NET.

### **DAMAGE IN TRANSIT**

All Neumade Products are packed with care to withstand transportation handling, and conform to carriers' regulations. We therefore cannot be responsible for damage in shipment. If you have reason to believe from the appearance of the packages that shipment is damaged or broken, do not accept same until proper notation on your bill for charges has been made by the carrier's agent as a protection in damage claim. If discovery of damage is made after prompt inspection of the contents, notify carrier immediately so that an official inspection can be made by them. We would be glad to handle any claim if all the data with letter from the carrier acknowledging inspection, is submitted to us.

### **RETURNED SHIPMENTS**

Returned shipments will not be accepted unless authorized by us.

A 10% handling charge will be made on all goods returned for credit after ten days.







TRADE MARK  
*Newmade*

• C A T A L O G U E N ° 4 •